



**FLACH ALMGSI0.5 F22 AW6060**  
EN755-5/EN573-3

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
12	3	6	0,100	4062768146839	50	8	6	1,080	4062768147584
15	3	6	0,125	4062768146877	50	10	6	1,350	4062768147591
15	5	6	0,202	4062768146891	50	12	6	1,620	4062768147607
15	6	6	0,245	4062768146907	50	15	6	2,030	4062768147614
15	8	6	0,324	4062768146914	50	20	6	2,700	4062768147621
15	10	6	0,405	4062768146921	50	30	6	4,050	4062768147645
20	3	6	0,165	4062768146945	60	3	6	0,486	4062768147706
20	4	6	0,220	4062768146952	60	4	6	0,650	4062768147713
20	5	6	0,270	4062768146969	60	5	6	0,810	4062768147720
20	6	6	0,325	4062768146976	60	6	6	0,972	4062768147737
20	8	6	0,435	4062768146983	60	8	6	1,300	4062768147744
20	10	6	0,540	4062768146990	60	10	6	1,620	4062768147751
20	12	6	0,648	4062768147003	60	12	6	1,940	4062768147768
20	15	6	0,810	4062768147010	60	15	6	2,430	4062768147775
25	3	6	0,203	4062768147034	60	20	6	3,240	4062768147782
25	4	6	0,270	4062768147041	70	5	6	0,945	4062768147867
25	5	6	0,340	4062768147058	70	10	6	1,890	4062768147898
25	6	6	0,405	4062768147065	80	3	6	0,650	4062768147997
25	8	6	0,540	4062768147072	80	4	6	0,860	4062768148000
25	10	6	0,675	4062768147089	80	5	6	1,080	4062768148017
25	12	6	0,840	4062768147096	80	6	6	1,300	4062768148024
25	15	6	1,015	4062768147102	80	8	6	1,730	4062768148031
25	20	6	1,350	4062768147119	80	10	6	2,160	4062768148048
30	3	6	0,245	4062768147133	80	12	6	2,592	4062768148055
30	4	6	0,324	4062768147140	80	15	6	3,240	4062768148062
30	5	6	0,405	4062768147157	80	20	6	4,320	4062768148079
30	6	6	0,490	4062768147164	90	10	6	2,430	4062768148178
30	8	6	0,650	4062768147171	100	3	6	0,810	4062768148215
30	10	6	0,810	4062768147188	100	4	6	1,100	4062768148222
30	12	6	0,975	4062768147195	100	5	6	1,350	4062768148239
30	15	6	1,220	4062768147201	100	6	6	1,620	4062768148246
30	20	6	1,620	4062768147218	100	8	6	2,160	4062768148253
40	3	6	0,324	4062768147355	100	10	6	2,700	4062768148260
40	4	6	0,435	4062768147362	100	15	6	4,050	4062768148284
40	5	6	0,540	4062768147379	100	20	6	5,600	4062768148291
40	6	6	0,648	4062768147386	120	5	6	1,620	4062768148345
40	8	6	0,864	4062768147393	120	6	6	1,944	4062768148352
40	10	6	1,080	4062768147409	120	8	6	2,600	4062768148369
40	12	6	1,300	4062768147416	120	10	6	3,240	4062768148376
40	15	6	1,620	4062768147423	120	15	6	4,860	4062768148390
40	20	6	2,160	4062768147430	120	20	6	6,480	4062768148406
40	25	6	2,700	4062768147447	150	8	6	3,240	4062768148475
40	30	6	3,240	4062768147454	150	10	6	4,050	4062768148482
50	3	6	0,405	4062768147546	150	15	6	6,075	4062768148499
50	4	6	0,540	4062768147553	200	10	6	5,400	4062768148550
50	5	6	0,675	4062768147560	250	10	6	6,750	4062768148581
50	6	6	0,810	4062768147577					




### ■ RUND ALMGSIO.5 F22 AW6060 EN755-3/EN573-3



mm	Länge mtr	kg/mtr	GTIN
8	6	0,140	4062768153462
10	6	0,212	4062768153479
12	6	0,305	4062768153486
15	6	0,480	4062768153493
16	6	0,543	4062768154223
18	6	0,680	4062768153509

mm	Länge mtr	kg/mtr	GTIN
20	6	0,850	4062768153516
25	6	1,320	4062768153523
30	6	1,910	4062768153530
40	6	3,390	4062768153554
50	6	5,300	4062768153578
60	6	7,630	4062768153585


### ■ VIERKANT ALMGSIO.5 F22 AW6060 EN755-4/EN573-3



mm	Länge mtr	kg/mtr	GTIN
8	6	0,175	4062768153622
10	6	0,270	4062768153639
12	6	0,390	4062768153646
15	6	0,610	4062768153653
20	6	1,080	4062768153660

mm	Länge mtr	kg/mtr	GTIN
25	6	1,690	4062768153677
30	6	2,430	4062768153684
40	6	4,320	4062768153707
50	6	6,750	4062768153714

### ■ U-PROFIL ALMGSIO.5 F22 AW6060 EN755-9/EN573-3




mm	mm	mm	Länge mtr	kg/mtr	GTIN
15	15	2	6	0,221	4062768152199
20	20	2	6	0,320	4062768152250
20	20	3	6	0,455	4062768152267
20	30	2	6	0,415	4062768152489
25	25	2	6	0,400	4062768152403
25	25	3	6	0,560	4062768152410
30	20	2	6	0,350	4062768152274
30	30	2	6	0,490	4062768152496
30	30	3	6	0,715	4062768152502
35	35	2	6	0,565	4062768152564
35	35	3	6	0,800	4062768152571
40	20	2	6	0,410	4062768152298

mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	30	3	6	0,790	4062768152519
40	40	4	6	1,250	4062768152656
50	30	3	6	0,842	4062768152533
50	30	4	6	1,102	4062768153370
50	50	4	6	1,533	4062768152908
50	50	5	6	1,940	4062768152915
60	30	3	6	0,925	4062768152540
60	40	4	6	1,430	4062768152717
60	40	5	6	1,760	4062768153233
60	60	4	6	1,858	4062768153325
80	40	5	6	2,025	4062768152755


**T-PROFIL ALMGS10.5 F22 AW6060**  
EN755-9/EN573-3

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	20	2	6	0,205	4062768151987	40	40	4	6	0,820	4062768152069
25	25	3	6	0,380	4062768152007	50	50	5	6	1,285	4062768152090
30	30	3	6	0,461	4062768152021	60	60	4	6	1,252	4062768152106




**WINKEL ALMGS10.5 F22 AW6060**  
EN755-9/EN573-3

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
15	15	2	6	0,151	4062768154483	50	50	2	6	0,531	4062768155480
15	15	3	6	0,219	4062768154490	50	50	3	6	0,785	4062768155497
20	20	2	6	0,205	4062768154568	50	50	4	6	1,040	4062768155503
20	20	3	6	0,299	4062768154582	50	50	5	6	1,290	4062768155510
25	25	2	6	0,259	4062768154681	60	60	2	6	0,637	4062768155725
25	25	3	6	0,380	4062768154704	60	60	3	6	0,950	4062768155749
25	25	4	6	0,500	4062768154711	60	60	4	6	1,252	4062768155756
30	30	2	6	0,313	4062768154834	60	60	5	6	1,552	4062768155763
30	30	3	6	0,465	4062768154858	60	60	6	6	1,850	4062768155770
30	30	4	6	0,605	4062768154865	60	60	8	6	2,419	4062768155787
30	30	5	6	0,742	4062768154872	80	80	3	6	1,275	4062768156043
35	35	2	6	0,370	4062768154964	80	80	4	6	1,685	4062768156050
35	35	3	6	0,545	4062768154971	80	80	5	6	2,135	4062768156067
40	40	2	6	0,423	4062768155152	80	80	6	6	2,500	4062768156074
40	40	3	6	0,650	4062768155169	80	80	8	6	3,283	4062768156081
40	40	4	6	0,824	4062768155176	100	100	4	6	2,110	4062768156234
40	40	5	6	1,015	4062768155183	100	100	6	6	3,200	4062768156241
45	45	2	6	0,475	4062768155251	100	100	10	6	5,200	4062768156265




**WINKEL ALMGSIO.5 F22 AW6060**  
EN755-9/EN573-3



mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	10	2	6	0,151	4062768154506	60	30	2	6	0,475	4062768155626
20	15	2	6	0,178	4062768154520	60	30	3	6	0,704	4062768155633
25	10	2	6	0,180	4062768154605	60	30	5	6	1,163	4062768155657
25	15	2	6	0,205	4062768154629	60	40	2	6	0,530	4062768155664
25	20	2	6	0,235	4062768154650	60	40	3	6	0,785	4062768155671
30	10	2	6	0,205	4062768154728	60	40	4	6	1,040	4062768155688
30	15	2	6	0,232	4062768154735	60	40	5	6	1,285	4062768155695
30	20	2	6	0,260	4062768154766	80	20	2	6	0,530	4062768155930
30	20	3	6	0,380	4062768154780	80	30	3	6	0,900	4062768155954
30	20	4	6	0,500	4062768154797	80	40	2	6	0,655	4062768155961
40	15	2	6	0,290	4062768155008	80	40	4	6	1,253	4062768155985
40	20	2	6	0,315	4062768155022	80	40	5	6	1,553	4062768155992
40	20	3	6	0,461	4062768155046	80	40	6	6	1,850	4062768156005
40	20	4	6	0,604	4062768155053	80	60	4	6	1,470	4062768156029
40	30	2	6	0,370	4062768155114	80	60	6	6	2,171	4062768156036
40	30	3	6	0,545	4062768155138	100	30	3	6	1,027	4062768156135
50	20	2	6	0,370	4062768155312	100	50	3	6	1,200	4062768156159
50	20	3	6	0,545	4062768155336	100	50	5	6	1,958	4062768156166
50	30	2	6	0,426	4062768155398	100	50	10	6	3,920	4062768156180
50	30	3	6	0,625	4062768155404	100	60	6	6	2,490	4062768156197
50	30	4	6	0,821	4062768155411	150	50	4	6	2,120	4062768156388
50	30	5	6	1,027	4062768155428	150	100	10	6	6,750	4062768156401
50	40	4	6	0,929	4062768155466	200	100	10	6	7,830	4062768156418
60	20	2	6	0,425	4062768155558						


**QUADRATROHR ALMGSIO.5 F22 AW6060**  
EN755-8/EN573-3

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
15	15	2	6	0,281	4062768148819	50	50	5	6	2,460	4062768149045
20	20	1,5	6	0,300	4062768148826	60	60	2	6	1,253	4062768149052
20	20	2	6	0,388	4062768148833	60	60	3	6	1,820	4062768149076
20	20	3	6	0,550	4062768150324	60	60	4	6	2,419	4062768149083
25	25	2	6	0,497	4062768148857	70	70	4	6	2,851	4062768149113
25	25	3	6	0,713	4062768148871	80	80	2	6	1,728	4062768149120
30	30	2	6	0,615	4062768148895	80	80	3	6	2,495	4062768149137
30	30	3	6	0,880	4062768148901	80	80	4	6	3,283	4062768149144
35	35	2	6	0,756	4062768148949	80	80	5	6	4,050	4062768150508
40	40	2	6	0,826	4062768148956	90	90	4	6	3,715	4062768150362
40	40	3	6	1,199	4062768148970	100	100	2	6	2,120	4062768149151
40	40	4	6	1,560	4062768148994	100	100	3	6	3,143	4062768149168
50	50	2	6	1,037	4062768149014	100	100	4	6	4,150	4062768149175
50	50	3	6	1,540	4062768149021	100	100	5	6	5,130	4062768150348
50	50	4	6	1,987	4062768149038						




**RECHTECKROHR ALMGSIO.5 F22 AW6060**  
EN755-8/EN573-3

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	10	2	6	0,324	4062768149212	80	30	2	6	1,115	4062768149823
20	15	2	6	0,335	4062768149229	80	30	3	6	1,690	4062768149830
25	20	2	6	0,443	4062768149250	80	40	2	6	1,253	4062768149847
30	10	1,5	6	0,300	4062768149267	80	40	3	6	1,847	4062768149861
30	15	2	6	0,460	4062768149298	80	40	4	6	2,419	4062768149878
30	20	2	6	0,496	4062768149311	80	50	2	6	1,361	4062768149885
30	20	3	6	0,713	4062768150386	80	50	3	6	2,009	4062768150416
40	10	2	6	0,497	4062768150331	80	50	4	6	2,640	4062768149892
40	15	2	6	0,551	4062768149380	80	60	3	6	2,175	4062768149908
40	20	2	6	0,604	4062768149403	80	60	4	6	2,950	4062768149915
40	20	3	6	0,874	4062768149410	100	20	2	6	1,274	4062768149939
40	30	2	6	0,713	4062768149458	100	30	3	6	2,010	4062768149946
40	30	3	6	1,037	4062768149472	100	40	3	6	2,171	4062768149977
50	15	2	6	0,660	4062768149526	100	40	4	6	2,930	4062768149984
50	20	2	6	0,712	4062768149533	100	50	3	6	2,333	4062768150003
50	20	3	6	1,040	4062768149540	100	50	4	6	3,070	4062768150010
50	25	2	6	0,765	4062768149564	100	60	3	6	2,495	4062768150041
50	30	2	6	0,821	4062768149588	100	60	4	6	3,290	4062768150058
50	30	3	6	1,198	4062768149595	100	80	3	6	2,819	4062768150089
50	40	2	6	0,930	4062768149618	120	20	2	6	1,469	4062768150096
50	40	3	6	1,458	4062768149632	120	30	3	6	2,419	4062768150607
60	20	2	6	0,822	4062768149656	120	40	3	6	2,587	4062768150614
60	20	3	6	1,199	4062768150584	120	40	4	6	3,283	4062768150133
60	30	2	6	0,961	4062768149687	120	60	4	6	3,800	4062768150164
60	30	3	6	1,430	4062768149694	120	80	3	6	3,140	4062768150171
60	40	2	6	1,040	4062768149717	140	80	4	6	4,580	4062768150201
60	40	3	6	1,523	4062768149731	150	50	4	6	4,150	4062768150232
60	40	4	6	1,980	4062768149748	180	50	4	6	4,800	4062768150270
60	50	3	6	1,700	4062768149755	180	80	4	6	5,443	4062768150515
70	40	3	6	1,685	4062768150577	200	50	4	6	5,440	4062768150294
80	20	2	6	1,040	4062768149793						




## ■ RUNDROHR ALMGSI0.5 F22 AW 6060 EN755-7/EN573-3



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
16	2	6	0,240	4062768150690	40	3	6	0,942	4062768151048
20	2	6	0,305	4062768150744	40	5	6	1,485	4062768151062
20	3	6	0,433	4062768150751	50	2	6	0,820	4062768151161
20	5	6	0,670	4062768150768	50	3	6	1,196	4062768151185
25	1,5	6	0,300	4062768150799	50	5	6	1,909	4062768151208
25	2	6	0,390	4062768150805	60	2	6	0,990	4062768151246
25	3	6	0,560	4062768150829	60	3	6	1,450	4062768151260
30	2	6	0,475	4062768150867	60	5	6	2,330	4062768151277
30	3	6	0,660	4062768150881	80	2	6	1,325	4062768151376
30	5	6	1,110	4062768150904	80	3	6	1,959	4062768151383
32	2	6	0,509	4062768150928	100	2	6	1,663	4062768151451
35	2	6	0,560	4062768150942	100	3	6	2,470	4062768151475
40	2	6	0,645	4062768151024					


## ■ FLACH ALCU4PBMGMN AW2007T4 GEPRESST EN755-5/EN573-3



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20	8	3	0,450	4062768158924	60	10	3	1,680	4062768158429
20	10	3	0,560	4062768158177	60	12	3	2,020	4062768158436
20	15	3	0,840	4062768158191	60	15	3	2,520	4062768158443
25	10	3	0,700	4062768158207	60	20	3	3,360	4062768158450
25	15	3	1,050	4062768158221	60	25	3	4,200	4062768158467
25	20	3	1,400	4062768158238	60	30	3	4,860	4062768158474
30	8	3	0,650	4062768158900	60	40	3	6,720	4062768158481
30	10	3	0,840	4062768158245	60	50	3	8,400	4062768158498
30	12	3	1,000	4062768158252	70	10	3	1,960	4062768158504
30	15	3	1,260	4062768158269	70	40	3	7,840	4062768158566
30	20	3	1,680	4062768158276	80	10	3	2,240	4062768158580
30	25	3	2,100	4062768158283	80	12	3	2,690	4062768158597
40	8	3	0,864	4062768158795	80	15	3	3,360	4062768158603
40	10	3	1,120	4062768158290	80	20	3	4,480	4062768158610
40	12	3	1,340	4062768158306	80	30	3	6,720	4062768158634
40	15	3	1,680	4062768158313	80	40	3	8,960	4062768158641
40	20	3	2,240	4062768158320	80	50	3	11,200	4062768158658
40	25	3	2,800	4062768158337	100	10	3	2,800	4062768158665
40	30	3	3,360	4062768158344	100	12	3	3,360	4062768158672
50	8	3	1,100	4062768158788	100	15	3	4,200	4062768158689
50	10	3	1,400	4062768158351	100	20	3	5,600	4062768158696
50	15	3	2,100	4062768158375	100	30	3	8,400	4062768158719
50	20	3	2,800	4062768158382	100	40	3	11,200	4062768158726
50	25	3	3,375	4062768158399	100	50	3	14,000	4062768158733
50	30	3	4,200	4062768158405	120	20	3	6,480	4062768158979
50	40	3	5,600	4062768158412	120	30	3	9,720	4062768158986
60	8	3	1,200	4062768158764					


**RUND ALCUBIPB AW20011T3 GEZOGEN**  
EN754-3/EN573-3

mm	Länge mtr	kg/mtr	GTIN
6	3	0,140	4062768154254




**RUND ALCU4PBMGMN AW2007T3 GEZOGEN**  
EN754-3/EN573-3

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
8	3	0,140	4062768154254	16	3	0,563	4062768153776
10	3	0,220	4062768153769	20	3	0,880	4062768153783
12	3	0,320	4062768153745	28	3	1,760	4062768153820
15	3	0,490	4062768153752	32	3	2,250	4062768153844




**RUND ALCU4PBMGMN AW2007T4 GEPRESST**  
EN755-3/EN573-3

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
25	3	1,370	4062768153813	95	3	21,000	4062768154346
30	3	1,980	4062768153837	100	3	21,980	4062768153981
35	3	2,690	4062768153851	110	3	26,600	4062768153974
40	3	3,520	4062768153868	120	3	31,200	4062768154001
45	3	4,450	4062768153875	130	3	37,200	4062768153998
50	3	5,490	4062768153882	140	3	43,000	4062768154018
55	3	6,650	4062768153899	150	3	48,600	4062768154025
60	3	7,910	4062768153905	160	3	56,000	4062768154285
65	3	9,300	4062768153912	170	3	65,000	4062768154414
70	3	10,770	4062768153929	180	3	72,500	4062768154292
75	3	12,370	4062768153936	190	3	81,300	4062768154421
80	3	14,070	4062768153943	200	3	87,300	4062768154193
85	3	15,700	4062768153950				
90	3	17,500	4062768153967				




**VIERKANT ALCU4PBMGMN AW2007T4**  
EN754-4/EN573-3

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
15	3	0,630	4062768154056	50	3	7,000	4062768154094
20	3	1,120	4062768154032	60	3	10,100	4062768154100
25	3	1,750	4062768154063	70	3	13,700	4062768154117
30	3	2,520	4062768154070	80	3	17,900	4062768154124
40	3	4,480	4062768154087	100	3	28,000	4062768154131




### BLECH AL99.5 H14/24 AW1050A EN485-1/EN573-3



Stärke mm	Format mm	kg/Tafel	GTIN
0,8	1000 x 2000	4,400	4062768156807
0,8	1250 x 2500	7,000	4062768156814
1,0	1000 x 2000	5,500	4062768156821
1,0	1250 x 2500	8,500	4062768156838
1,0	1500 x 3000	12,500	4062768156845
1,5	1000 x 2000	8,500	4062768156883
1,5	1250 x 2500	13,000	4062768156890
1,5	1500 x 3000	18,500	4062768156906
2,0	1000 x 2000	11,000	4062768156913
2,0	1250 x 2500	17,000	4062768156920
2,0	1500 x 3000	25,000	4062768156937
2,5	1000 x 2000	13,500	4062768156944

Stärke mm	Format mm	kg/Tafel	GTIN
2,5	1250 x 2500	21,500	4062768156951
2,5	1500 x 3000	30,500	4062768156968
3,0	1000 x 2000	16,500	4062768156975
3,0	1250 x 2500	25,500	4062768156982
3,0	1500 x 3000	37,000	4062768156999
4,0	1000 x 2000	22,000	4062768157002
4,0	1250 x 2500	34,000	4062768157019
4,0	1500 x 3000	50,000	4062768157026
5,0	1000 x 2000	27,500	4062768157033
5,0	1250 x 2500	43,000	4062768157040
5,0	1500 x 3000	62,000	4062768157057


### BLECH AL99.5 H14/24 AW1050A EINSEITIG FOLIERT EN485-1/EN573-3



Stärke mm	Format mm	kg/Tafel	GTIN
1,0	1500 x 3000	12,500	4062768158009
1,5	1000 x 2000	8,500	4062768157781
1,5	1250 x 2500	13,000	4062768157798
1,5	1500 x 3000	18,500	4062768157804
2,0	1000 x 2000	11,000	4062768157811
2,0	1250 x 2500	17,000	4062768157828
2,0	1500 x 3000	25,000	4062768157835

Stärke mm	Format mm	kg/Tafel	GTIN
3,0	1000 x 2000	16,500	4062768157842
3,0	1250 x 2500	25,500	4062768157859
3,0	1500 x 3000	37,000	4062768157866
4,0	1000 x 2000	22,000	4062768158153
4,0	1250 x 2500	34,000	4062768158160
5,0	1000 x 2000	0,000	4062768158139
5,0	1250 x 2500	0,000	4062768158146

### BLECH ALMG1 H14/H24 AW5005 BANDELOXIERT E6/EV1 EN485-1/EN573-3



Stärke mm	Format mm	kg/Tafel	GTIN
1,0	1000 x 2000	5,500	4062768157316
1,0	1250 x 2500	8,500	4062768157323
1,0	1500 x 3000	12,200	4062768157330
1,5	1000 x 2000	8,100	4062768157347
1,5	1250 x 2500	13,000	4062768157354
1,5	1500 x 3000	18,500	4062768157361


Stärke mm	Format mm	kg/Tafel	GTIN
2,0	1000 x 2000	11,000	4062768157378
2,0	1250 x 2500	17,000	4062768157385
2,0	1500 x 3000	25,000	4062768157392
3,0	1000 x 2000	16,500	4062768157408
3,0	1250 x 2500	25,500	4062768157415
3,0	1500 x 3000	37,000	4062768157422



**BLECH ALMG3 H22 AW5754**  
EN485-1/EN573-3

Stärke mm	Format mm	kg/Tafel	GTIN
1,0	1000 x 2000	5,500	4062768157095
1,0	1250 x 2500	8,500	4062768157101
1,0	1500 x 3000	12,500	4062768157118
1,5	1000 x 2000	8,500	4062768157125
1,5	1250 x 2500	13,000	4062768157132
1,5	1500 x 3000	18,500	4062768157149
2,0	1000 x 2000	11,000	4062768157156
2,0	1250 x 2500	17,000	4062768157163
2,0	1500 x 3000	25,000	4062768157170
2,5	1000 x 2000	13,500	4062768157996


Stärke mm	Format mm	kg/Tafel	GTIN
2,5	1250 x 2500	21,500	4062768157989
2,5	1500 x 3000	30,500	4062768157972
3,0	1000 x 2000	16,500	4062768157187
3,0	1250 x 2500	25,500	4062768157194
3,0	1500 x 3000	37,000	4062768157200
4,0	1000 x 2000	22,000	4062768157521
4,0	1250 x 2500	34,000	4062768157538
4,0	1500 x 3000	49,000	4062768157545
5,0	1000 x 2000	28,000	4062768157552
5,0	1250 x 2500	43,000	4062768157569
5,0	1500 x 3000	62,000	4062768157576



**BLECH ALMG3 H111 AW5754**  
EN485-1/EN573-3

Stärke mm	Format mm	kg/Tafel	GTIN
1,5	1000 x 2000	8,500	4062768158047
1,5	1250 x 2500	13,000	4062768158023
1,5	1500 x 3000	18,500	4062768158016
2,0	1000 x 2000	11,000	4062768158054
2,0	1250 x 2500	17,000	4062768158030
2,0	1500 x 3000	25,000	4062768158085
3,0	1000 x 2000	16,500	4062768158061
3,0	1250 x 2500	25,500	4062768158108
3,0	1500 x 3000	37,000	4062768158092
6,0	1000 x 2000	33,000	4062768157583
6,0	1250 x 2500	51,000	4062768157590
6,0	1500 x 3000	73,000	4062768157606
8,0	1000 x 2000	45,500	4062768157613
8,0	1250 x 2500	69,000	4062768157620


Stärke mm	Format mm	kg/Tafel	GTIN
8,0	1500 x 3000	100,000	4062768157637
10,0	1000 x 2000	56,000	4062768157644
10,0	1250 x 2500	87,000	4062768157651
10,0	1500 x 3000	126,000	4062768157309
12,0	1000 x 2000	68,000	4062768157965
12,0	1250 x 2500	106,000	4062768158115
12,0	1500 x 3000	152,000	4062768158122
15,0	1000 x 2000	84,000	4062768157668
15,0	1250 x 2500	132,000	4062768157675
15,0	1500 x 3000	186,000	4062768157682
20,0	1000 x 2000	112,000	4062768157699
20,0	1250 x 2500	176,000	4062768157705
20,0	1500 x 3000	252,000	4062768157712



**BLECH ALMG3 H22 AW5754 EINSEITIG FOLIERT**  
EN485-1/EN573-3


Stärke mm	Format mm	kg/Tafel	GTIN
1,5	1000 x 2000	8,500	4062768157873
1,5	1250 x 2500	13,000	4062768157880
1,5	1500 x 3000	18,500	4062768157897
2,0	1000 x 2000	11,000	4062768157903
2,0	1250 x 2500	17,000	4062768157910

Stärke mm	Format mm	kg/Tafel	GTIN
2,0	1500 x 3000	25,000	4062768157927
3,0	1000 x 2000	16,500	4062768157934
3,0	1250 x 2500	25,500	4062768157941
3,0	1500 x 3000	37,000	4062768157958



### WARZENBLECH DUETT ALMG3 H114 AW5754

EN1386/EN573-3



Stärke mm	Format mm	kg/Tafel	GTIN
1,5/2,0	1000 x 2000	9,000	4062768157248
1,5/2,0	1250 x 2500	14,000	4062768157255
1,5/2,0	1500 x 3000	20,000	4062768157262
2,5/4,0	1000 x 2000	15,500	4062768156678
2,5/4,0	1250 x 2500	24,000	4062768156685
2,5/4,0	1500 x 3000	34,000	4062768156692
3,5/5,0	1000 x 2000	21,000	4062768156708
3,5/5,0	1250 x 2500	32,500	4062768156715

Stärke mm	Format mm	kg/Tafel	GTIN
3,5/5,0	1500 x 3000	46,500	4062768156722
5,0/6,5	1000 x 2000	29,000	4062768156739
5,0/6,5	1250 x 2500	45,000	4062768156746
5,0/6,5	1500 x 3000	65,000	4062768157224
8,0/9,5	1000 x 2000	46,000	4062768156753
8,0/9,5	1250 x 2500	72,000	4062768156760
8,0/9,5	1500 x 3000	102,000	4062768156777

### WARZENBLECH QUINTETT ALMG3 H114 AW5754

EN1386/EN573-3



Stärke mm	Format mm	kg/Tafel	GTIN
2,5/4,0	1000 x 2000	16,000	4062768157279
2,5/4,0	1250 x 2500	24,500	4062768157286
2,5/4,0	1500 x 3000	35,000	4062768157439
3,5/5,0	1000 x 2000	21,500	4062768157446
3,5/5,0	1250 x 2500	33,000	4062768157453
3,5/5,0	1500 x 3000	47,500	4062768157460

Stärke mm	Format mm	kg/Tafel	GTIN
5,0/6,5	1000 x 2000	29,500	4062768157477
5,0/6,5	1250 x 2500	45,500	4062768157293
5,0/6,5	1500 x 3000	66,000	4062768157484
8,0/9,5	1000 x 2000	47,000	4062768157491
8,0/9,5	1250 x 2500	73,400	4062768157507
8,0/9,5	1500 x 3000	105,800	4062768157514