


BLANKSTAHL S235JRC+C H11 FLACH
 EN10277/EN10278/EN10025



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
5	4	3	0,157	4062768102590	22	3	3	0,518	4062768103788
6	4	3	0,189	4062768102637	22	4	3	0,691	4062768103795
8	3	3	0,189	4062768102729	22	5	3	0,860	4062768103801
8	4	3	0,251	4062768102736	22	6	3	1,040	4062768103818
8	5	3	0,315	4062768102743	22	8	3	1,380	4062768103832
8	6	3	0,375	4062768102750	22	10	3	1,730	4062768103849
10	3	3	0,236	4062768102866	25	4	3	0,785	4062768110762
10	4	3	0,314	4062768102873	25	5	3	0,980	4062768104082
10	5	3	0,393	4062768102880	25	6	3	1,180	4062768104099
10	6	3	0,472	4062768102897	25	8	3	1,570	4062768104112
10	8	3	0,630	4062768102910	25	10	3	1,960	4062768104129
12	3	3	0,283	4062768103023	25	12	3	2,360	4062768104136
12	4	3	0,377	4062768103030	25	12	6	2,360	4062768110700
12	5	3	0,471	4062768103047	25	14	3	2,750	4062768104150
12	6	3	0,570	4062768103054	25	15	3	2,940	4062768104167
12	8	3	0,754	4062768103078	25	15	6	2,940	4062768110694
12	10	3	0,940	4062768103085	25	16	3	3,140	4062768104174
14	3	3	0,330	4062768103191	25	18	3	3,530	4062768104181
14	4	3	0,440	4062768103207	25	20	3	3,930	4062768104198
14	5	3	0,550	4062768103214	28	5	3	1,100	4062768104365
14	6	3	0,660	4062768103221	28	6	3	1,320	4062768104372
14	8	3	0,880	4062768103245	28	10	3	2,200	4062768104402
15	2	3	0,230	4062768103276	28	12	3	2,640	4062768104419
15	3	3	0,353	4062768103290	30	3	3	0,707	4062768104501
15	4	3	0,471	4062768103306	30	4	3	0,942	4062768104518
15	5	3	0,589	4062768103313	30	5	3	1,180	4062768104525
15	6	3	0,707	4062768103320	30	6	3	1,410	4062768104532
15	7	3	0,819	4062768103337	30	6	6	1,410	4062768110847
15	8	3	0,942	4062768103344	30	8	3	1,880	4062768104556
15	8	6	0,942	4062768146815	30	8	6	1,880	4062768110915
15	10	3	1,180	4062768103351	30	10	3	2,360	4062768104563
15	12	3	1,415	4062768103368	30	10	6	2,360	4062768110861
16	2	3	0,250	4062768103382	30	12	3	2,830	4062768104570
16	4	3	0,502	4062768110496	30	12	6	2,830	4062768110366
16	5	3	0,630	4062768103429	30	15	3	3,530	4062768104600
16	6	3	0,750	4062768103436	30	15	6	3,530	4062768110250
16	8	3	1,010	4062768103450	30	16	3	3,770	4062768104617
16	10	3	1,260	4062768103467	30	20	3	4,710	4062768104631
16	12	3	1,505	4062768103474	30	20	6	4,710	4062768109148
18	3	3	0,425	4062768103511	30	25	3	5,890	4062768104655
18	4	3	0,565	4062768103528	30	25	6	5,890	4062768110960
18	5	3	0,710	4062768103535	32	5	3	1,260	4062768104709
18	6	3	0,850	4062768103542	32	8	3	2,010	4062768104730
18	8	3	1,130	4062768103559	32	10	3	2,510	4062768104747
18	10	3	1,410	4062768103566	35	4	3	1,099	4062768104860
18	12	3	1,700	4062768103573	35	5	3	1,370	4062768104877
20	3	3	0,471	4062768110595	35	6	3	1,650	4062768104884
20	4	3	0,628	4062768110601	35	8	3	2,200	4062768104907
20	5	3	0,790	4062768110410	35	10	3	2,750	4062768104914
20	6	3	0,940	4062768103672	35	10	6	2,750	4062768109698
20	8	3	1,260	4062768103696	35	12	3	3,300	4062768104921
20	10	3	1,570	4062768103702	35	15	3	4,120	4062768104945
20	12	3	1,880	4062768103719	35	16	3	4,400	4062768104952
20	15	3	2,360	4062768103733	35	18	3	4,950	4062768104969
20	15	6	2,360	4062768110373	35	20	3	5,500	4062768104976
20	16	3	2,515	4062768103740	35	25	3	6,870	4062768104983




BLANKSTAHL S235JRC+C H11 FLACH
EN10277/EN10278/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN
35	25	6	6,870	4062768104990
35	30	3	8,240	4062768105003
36	20	3	5,650	4062768105126
40	4	3	1,256	4062768105171
40	5	3	1,570	4062768105188
40	5	6	1,570	4062768110892
40	6	3	1,880	4062768105195
40	8	3	2,510	4062768105218
40	8	6	2,510	4062768920576
40	10	3	3,140	4062768105225
40	10	6	3,140	4062768109162
40	12	3	3,770	4062768105232
40	12	6	3,770	4062768110298
40	15	3	4,710	4062768105263
40	15	6	4,710	4062768110304
40	16	3	5,020	4062768105270
40	18	3	5,650	4062768110663
40	18	6	5,650	4062768105287
40	20	3	6,280	4062768105294
40	20	6	6,280	4062768110199
40	25	3	7,850	4062768105317
40	25	6	7,850	4062768105324
40	30	3	9,420	4062768105331
40	30	6	9,420	4062768109063
40	35	3	10,990	4062768105348
45	3	3	1,060	4062768105379
45	4	3	1,431	4062768105386
45	5	3	1,770	4062768105393
45	6	3	2,120	4062768105409
45	8	3	2,830	4062768105423
45	10	3	3,530	4062768105430
45	12	3	4,240	4062768105447
45	15	3	5,300	4062768105454
45	20	3	7,070	4062768105485
45	25	3	8,830	4062768105508
45	30	3	10,600	4062768105515
45	35	3	12,360	4062768105539
50	3	3	1,178	4062768105577
50	4	3	1,570	4062768110489
50	5	3	1,960	4062768105591
50	6	3	2,360	4062768105607
50	8	3	3,140	4062768105621
50	8	6	3,140	4062768110908
50	10	3	3,930	4062768105638
50	10	6	3,930	4062768109087
50	12	3	4,710	4062768105645
50	12	6	4,710	4062768110267
50	15	3	5,890	4062768105676
50	15	6	5,890	4062768110434
50	16	3	6,280	4062768105683
50	20	3	7,850	4062768105706
50	20	6	7,850	4062768110205
50	25	3	9,810	4062768105720
50	25	6	9,810	4062768109889
50	30	3	11,780	4062768105737
50	30	6	11,780	4062768110311

mm	mm	Länge mtr	kg/mtr	GTIN
50	35	3	13,740	4062768105744
50	40	3	15,700	4062768105751
50	40	6	15,700	4062768109896
55	5	3	2,160	4062768105812
55	6	3	2,590	4062768105829
55	10	3	4,320	4062768105850
55	12	3	5,180	4062768105867
55	15	3	6,480	4062768105874
55	20	3	8,640	4062768105904
55	25	3	10,790	4062768105911
60	3	3	1,413	4062768106093
60	4	3	1,884	4062768106109
60	5	3	2,360	4062768106116
60	6	3	2,830	4062768106123
60	6	6	2,830	4062768109872
60	8	3	3,770	4062768106147
60	8	6	3,770	4062768109735
60	10	3	4,710	4062768106154
60	10	6	4,710	4062768109179
60	12	3	5,650	4062768106161
60	12	6	5,650	4062768109704
60	14	3	6,600	4062768106178
60	15	3	7,070	4062768106185
60	15	6	7,070	4062768110328
60	16	3	7,540	4062768106192
60	18	3	8,480	4062768106208
60	20	3	9,420	4062768106215
60	20	6	9,420	4062768106222
60	25	3	11,780	4062768106239
60	30	3	14,130	4062768106246
60	30	6	14,130	4062768110335
60	35	3	16,490	4062768106260
60	40	3	18,840	4062768106277
60	40	6	18,840	4062768110885
60	50	3	23,560	4062768106291
65	8	3	4,080	4062768106512
65	10	3	5,100	4062768106529
65	12	3	6,120	4062768106536
65	15	3	7,650	4062768106567
65	20	3	10,210	4062768106581
70	4	3	2,198	4062768106666
70	5	3	2,750	4062768106673
70	6	3	3,300	4062768106680
70	8	3	4,400	4062768106703
70	10	3	5,500	4062768106710
70	12	3	6,600	4062768106727
70	15	3	8,240	4062768106741
70	20	3	10,990	4062768106772
70	25	3	13,740	4062768106789
70	30	3	16,490	4062768106796
70	35	3	19,230	4062768106819
70	40	3	21,980	4062768106826
70	40	6	21,980	4062768110403
70	50	3	27,400	4062768106840
75	12	3	7,070	4062768106925
75	20	3	11,780	4062768106963




BLANKSTAHL S235JRC+C H11 FLACH
 EN10277/EN10278/EN10025


mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
80	4	3	2,510	4062768107007	100	32	3	25,120	4062768107526
80	4	6	2,510	4062768109810	100	35	3	27,480	4062768107533
80	5	3	3,140	4062768107014	100	40	3	31,400	4062768107540
80	6	3	3,770	4062768107021	100	40	6	31,400	4062768110786
80	6	6	3,770	4062768109742	100	50	3	39,260	4062768107564
80	8	3	5,020	4062768107045	100	60	3	47,100	4062768107571
80	8	6	5,020	4062768109032	100	60	6	47,100	4062768109131
80	10	3	6,280	4062768107052	110	6	3	5,180	4062768107595
80	12	3	7,540	4062768107069	110	8	3	6,910	4062768107601
80	12	6	7,540	4062768109971	110	10	3	8,640	4062768107618
80	15	3	9,420	4062768107076	110	12	3	10,360	4062768107625
80	15	6	9,420	4062768110427	110	12	6	10,360	4062768110502
80	16	3	10,050	4062768107083	110	15	3	12,950	4062768107632
80	20	3	12,560	4062768107090	110	20	3	17,270	4062768107649
80	20	6	12,560	4062768110236	110	25	3	21,600	4062768107656
80	25	3	15,600	4062768107113	110	30	3	25,910	4062768107519
80	25	6	15,600	4062768109902	110	35	3	30,220	4062768109094
80	30	3	18,840	4062768107120	110	40	3	34,540	4062768110816
80	30	6	18,840	4062768110342	120	5	3	4,710	4062768107687
80	32	3	20,100	4062768107137	120	6	3	5,650	4062768107694
80	35	3	21,980	4062768107144	120	8	3	7,540	4062768107700
80	40	3	25,120	4062768107151	120	10	3	9,420	4062768107717
80	40	6	25,120	4062768109919	120	12	3	11,300	4062768107724
80	50	3	31,400	4062768107175	120	15	3	14,130	4062768107748
80	50	6	31,400	4062768109926	120	20	3	18,840	4062768107762
80	60	3	37,680	4062768107182	120	20	6	18,840	4062768109681
80	60	6	37,680	4062768109933	120	25	3	23,550	4062768107786
90	5	3	3,530	4062768107212	120	30	3	28,260	4062768107793
90	6	3	4,240	4062768107229	120	40	3	37,680	4062768107809
90	8	3	5,650	4062768107236	120	50	3	47,100	4062768107816
90	10	3	7,070	4062768107243	120	60	3	56,520	4062768107823
90	12	3	8,480	4062768107250	120	60	6	56,500	4062768110939
90	15	3	10,600	4062768107267	120	80	3	75,360	4062768110625
90	20	3	14,130	4062768107281	125	15	3	14,720	4062768107885
90	20	6	14,130	4062768109964	130	6	3	6,120	4062768107977
90	25	3	17,660	4062768107298	130	8	3	8,160	4062768107984
90	30	3	21,200	4062768107304	130	8	6	8,160	4062768109766
90	40	3	28,260	4062768107328	130	10	3	10,210	4062768107991
90	50	3	35,320	4062768107342	130	12	3	12,250	4062768108004
90	60	3	42,400	4062768109834	130	15	3	15,310	4062768108011
100	4	3	3,140	4062768107366	130	20	3	20,410	4062768108028
100	5	3	3,930	4062768107373	130	25	3	25,510	4062768108035
100	6	3	4,710	4062768107380	130	30	3	30,620	4062768108042
100	8	3	6,280	4062768107403	130	40	6	40,800	4062768110571
100	8	6	6,280	4062768020399	140	6	3	6,590	4062768108066
100	10	3	7,850	4062768107410	140	8	3	8,790	4062768108073
100	10	6	7,850	4062768110281	140	10	3	10,990	4062768108080
100	12	3	9,420	4062768107427	140	12	3	13,190	4062768108097
100	12	6	9,420	4062768109711	140	15	3	16,490	4062768108103
100	15	3	11,770	4062768107458	140	20	3	21,980	4062768108127
100	16	3	12,560	4062768107465	140	25	3	27,480	4062768108134
100	20	3	15,700	4062768107489	140	30	3	32,970	4062768108141
100	20	6	15,700	4062768110243	140	40	3	43,960	4062768108165
100	25	3	19,630	4062768107496	140	50	3	54,960	4062768110397
100	30	3	23,550	4062768107502	150	5	3	5,890	4062768108172
100	30	6	23,550	4062768110212	150	6	3	7,070	4062768108189




BLANKSTAHL S235JRC+C H11 FLACH
EN10277/EN10278/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
150	8	3	9,420	4062768108196	200	15	3	24,000	4062768108578
150	10	3	11,770	4062768108202	200	20	3	31,400	4062768108592
150	10	6	11,770	4062768110922	200	20	6	31,400	4062768002296
150	12	3	14,130	4062768108219	200	25	3	39,250	4062768108608
150	15	3	17,660	4062768108226	200	30	3	47,100	4062768108615
150	20	3	23,550	4062768108240	200	40	3	62,800	4062768108639
150	20	6	23,550	4062768110878	200	50	3	78,500	4062768108646
150	25	3	29,440	4062768108257	200	60	3	96,000	4062768110519
150	25	6	29,440	4062768110953	220	10	3	17,270	4062768108653
150	30	3	35,330	4062768108264	220	12	3	21,100	4062768108660
150	32	3	37,680	4062768108271	220	15	3	26,400	4062768108677
150	35	3	41,210	4062768109056	220	20	3	34,540	4062768108684
150	40	3	47,100	4062768108288	220	25	3	44,000	4062768108691
150	50	3	58,880	4062768108295	220	30	3	51,810	4062768108707
150	60	3	70,700	4062768109803	220	30	6	51,810	4062768109155
160	6	3	7,540	4062768108318	250	6	3	12,000	4062768110946
160	8	3	10,050	4062768108325	250	8	3	16,000	4062768109070
160	10	3	12,560	4062768108332	250	10	3	19,630	4062768108714
160	12	3	15,070	4062768108349	250	12	3	23,550	4062768108721
160	15	3	18,840	4062768108356	250	15	3	29,440	4062768108738
160	20	3	25,120	4062768108370	250	20	3	40,000	4062768108745
160	25	3	31,400	4062768108387	250	25	3	49,050	4062768108752
160	30	3	37,680	4062768108394	250	30	3	58,880	4062768108769
160	40	3	50,240	4062768108417	250	40	3	78,500	4062768108776
160	50	3	64,000	4062768108424	300	10	3	23,550	4062768108790
180	6	3	8,646	4062768110229	300	12	3	28,260	4062768108806
180	8	3	11,300	4062768108431	300	15	3	35,330	4062768108813
180	10	3	14,130	4062768108448	300	20	3	47,100	4062768108820
180	12	3	16,900	4062768108455	300	25	3	58,900	4062768108837
180	15	3	21,200	4062768108462	300	30	3	70,660	4062768108844
180	20	3	28,260	4062768108486	300	40	3	94,200	4062768108851
180	20	6	28,260	4062768002319	350	12	3	33,600	4062768108875
180	25	3	35,360	4062768108493	350	15	3	42,000	4062768108882
180	30	3	42,390	4062768108509	350	20	3	56,000	4062768108899
180	30	6	42,390	4062768109728	400	10	3	32,000	4062768108943
180	40	3	56,520	4062768108516	400	12	3	38,400	4062768108950
200	5	3	8,000	4062768108523	400	15	3	48,000	4062768108967
200	6	3	9,420	4062768108530	400	20	3	64,000	4062768108974
200	8	3	12,560	4062768108547	400	25	3	80,000	4062768108981
200	10	3	15,700	4062768108554	400	30	3	96,000	4062768108998
200	12	3	18,840	4062768108561					



BLANKSTAHL S235JRC VOM BAND GESCHNITTEN

EN10140/EN10025




mm	mm	Länge mtr	kg/mtr	GTIN
7	3	3	0,165	4062768102668
10	2	3	0,157	4062768102842
14	3	3	0,330	4062768110755
15	3	3	0,353	4062768110441
15	4	3	0,471	4062768110458
16	2	3	0,250	4062768110977
16	3	3	0,377	4062768103405
16	4	3	0,502	4062768103412
20	2	3	0,314	4062768103627
20	3	3	0,471	4062768103641
20	4	3	0,628	4062768103658

mm	mm	Länge mtr	kg/mtr	GTIN
20	5	3	0,790	4062768103665
25	2	3	0,393	4062768104044
25	3	3	0,589	4062768104068
25	4	3	0,785	4062768104075
30	2	3	0,471	4062768104488
30	4	3	0,942	4062768110465
30	5	3	1,180	4062768110472
35	3	3	0,824	4062768104853
50	4	3	1,570	4062768105584
40	3	3	0,942	4062768105164

BLANKSTAHL S355J2C+C FLACH

EN10277/EN10278/EN10025




mm	mm	Länge mtr	kg/mtr	GTIN
40	20	6	6,280	4062768109339
40	25	6	7,850	4062768109346
40	30	6	9,420	4062768109353
50	20	6	7,850	4062768109384
50	30	6	11,780	4062768109407
60	10	6	4,710	4062768109438
60	20	6	9,420	4062768109452
60	30	6	14,130	4062768109476
80	10	6	6,280	4062768109544
80	20	6	12,600	4062768109568
80	30	6	18,800	4062768109575

mm	mm	Länge mtr	kg/mtr	GTIN
80	40	6	25,100	4062768109582
90	30	6	21,200	4062768110588
100	10	6	7,850	4062768109636
100	15	6	11,800	4062768109643
100	20	6	15,700	4062768109650
100	30	6	23,550	4062768109841
100	50	6	39,260	4062768109957
120	15	6	14,130	4062768109865
120	20	6	18,840	4062768110182
150	20	6	23,550	4062768110557
150	30	6	35,330	4062768110526


BLANKSTAHL C45+C H11 FLACH
EN10277/EN10278/EN10083

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20	10	3	1,570	4062768119949	60	10	6	4,710	4062768119673
25	20	3	3,930	4062768120037	60	25	3	11,780	4062768119710
30	6	6	1,410	4062768119451	60	40	3	18,800	4062768120266
30	10	3	2,360	4062768119475	80	12	6	7,540	4062768119796
35	15	6	4,120	4062768120105	100	15	6	11,770	4062768119864
40	8	6	2,510	4062768119529	100	20	3	15,700	4062768119871
40	10	6	3,140	4062768119536	100	30	6	23,550	4062768119895
40	15	6	4,710	4062768119550	100	40	6	31,400	4062768120433
40	20	3	6,280	4062768119567	100	50	3	39,300	4062768120709
40	25	3	7,850	4062768120143	100	50	6	39,300	4062768120440
40	30	3	9,420	4062768120150	120	15	3	14,100	4062768120471
45	12	6	4,240	4062768120198	120	20	3	18,800	4062768120488
50	15	3	5,890	4062768119611	120	30	6	28,300	4062768120495
50	20	6	7,850	4062768119628	120	40	6	37,700	4062768120501
50	25	3	9,810	4062768119635	120	50	6	47,100	4062768120518
50	35	6	13,740	4062768120242	150	15	6	17,700	4062768120563
50	40	6	15,700	4062768120259					




BLANKSTAHL S235JRC+C/SH H9 RUND
EN10277/EN10278/EN10025

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
3	3	0,055	4062768110984	24	6	3,550	4062768111226
4	3	0,099	4062768110991	25	3	3,850	4062768115941
5	3	0,154	4062768111004	25	6	3,850	4062768111233
6	3	0,222	4062768111011	26	6	4,170	4062768111240
6	6	0,222	4062768115194	28	6	4,830	4062768111264
7	3	0,302	4062768111028	30	6	5,550	4062768111288
8	3	0,395	4062768111035	32	6	6,310	4062768111295
8	6	0,395	4062768111042	35	6	7,550	4062768111318
9	3	0,499	4062768114036	36	6	7,990	4062768111325
9	6	0,499	4062768111066	38	6	8,900	4062768111332
10	3	0,617	4062768111073	40	6	9,860	4062768111349
10	6	0,617	4062768111080	42	6	10,900	4062768111356
11	3	0,746	4062768114067	45	6	12,500	4062768111370
11	6	0,746	4062768111097	50	6	15,400	4062768111400
12	3	0,888	4062768111103	55	6	18,700	4062768111424
12	6	0,888	4062768111110	60	6	22,200	4062768111431
13	6	1,040	4062768111127	65	6	26,050	40627681113756
14	6	1,210	4062768111134	70	6	30,200	4062768111448
15	6	1,390	4062768111141	75	6	34,700	4062768111455
16	6	1,580	4062768111158	80	6	39,500	4062768111462
17	6	1,782	4062768111165	90	6	49,900	4062768111479
18	6	2,000	4062768111172	100	6	61,700	4062768111486
19	6	2,230	4062768111189	110	6	74,600	4062768114029
20	6	2,466	4062768111196	120	6	88,800	4062768111493
22	6	2,980	4062768111219	130	6	104,000	4062768111509
23	6	3,261	4062768113688				



BLANKSTAHL S355JC+C/SH H9 RUND


EN10277/EN10278/EN10025



mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6	3	0,222	4062768113343	40	3	9,865	4062768115057
6	6	0,222	4062768114012	40	6	9,865	4062768113510
8	6	0,395	4062768113350	42	6	10,880	4062768113527
9	6	0,499	4062768115040	45	6	12,480	4062768113534
10	3	0,617	4062768113367	50	6	15,410	4062768113541
10	6	0,617	4062768113374	55	6	18,650	4062768113558
12	6	0,888	4062768113381	60	6	22,190	4062768113565
14	6	1,208	4062768113398	65	6	26,050	4062768113572
15	6	1,387	4062768113404	70	6	30,210	4062768113589
16	6	1,578	4062768113411	75	6	34,680	4062768113596
18	6	1,998	4062768113428	80	6	39,460	4062768113602
20	6	2,466	4062768113435	85	6	44,550	4062768114043
22	6	2,984	4062768113442	90	6	49,940	4062768113619
24	6	3,551	4062768113459	100	3	61,650	4062768114982
25	6	3,853	4062768113466	100	6	61,650	4062768113626
26	6	4,168	4062768113473	110	3	74,600	4062768115835
28	6	4,834	4062768113480	110	6	74,600	4062768113633
30	6	5,549	4062768113497	120	6	88,800	4062768113640
32	6	6,313	4062768115033	130	6	104,000	4062768115125
35	6	7,553	4062768113503	140	6	121,000	4062768114678

BLANKSTAHL C35+C/SH H9 RUND


EN10277/EN10278/EN10083



mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6	3	0,222	4062768111578	40	6	9,860	4062768111882
8	6	0,395	4062768111592	42	6	10,880	4062768111899
10	3	0,617	4062768111615	45	6	12,500	4062768111912
10	6	0,617	4062768111622	50	6	15,400	4062768111943
12	6	0,888	4062768111653	55	6	18,700	4062768111967
14	6	1,210	4062768111677	60	6	22,200	4062768111974
15	6	1,390	4062768111684	65	6	26,100	4062768111981
16	6	1,580	4062768111691	70	6	30,200	4062768111998
18	6	2,000	4062768111714	75	6	34,680	4062768112001
20	6	2,466	4062768111738	80	6	39,500	4062768112018
22	6	2,980	4062768111752	85	6	44,550	4062768112025
24	6	3,550	4062768111769	90	6	49,900	4062768112032
25	6	3,850	4062768111776	95	6	55,640	4062768112049
26	6	4,170	4062768111783	100	6	61,700	4062768112056
28	6	4,830	4062768111806	110	6	76,600	4062768111646
30	6	5,550	4062768111820	120	6	88,800	4062768112063
32	6	6,310	4062768111837	130	6	104,000	4062768113671
35	6	7,550	4062768111851	150	6	139,000	4062768112087


BLANKSTAHL C45+C/SH H9 RUND
EN10277/EN10278/EN10083

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
8	3	0,395	4062768112155	40	6	9,860	4062768112421
8	6	0,395	4062768114647	45	6	12,500	4062768112452
10	6	0,617	4062768112179	50	6	15,400	4062768112483
12	6	0,888	4062768112193	55	6	18,700	4062768112506
14	6	1,210	4062768112216	65	6	26,050	4062768112520
15	6	1,390	4062768112223	70	6	30,200	4062768112537
16	6	1,580	4062768112230	75	6	34,680	4062768113725
18	6	2,000	4062768112254	80	6	39,500	4062768112544
20	6	2,470	4062768112278	90	6	49,900	4062768112551
21	3	2,719	4062768112285	95	6	55,640	4062768115903
22	6	2,980	4062768112292	60	6	22,200	4062768112513
24	6	3,550	4062768112308	100	6	61,700	4062768112568
25	6	3,850	4062768112315	110	6	74,600	4062768112575
30	6	5,550	4062768112360	120	6	88,800	4062768112582
35	6	7,550	4062768112391	130	6	104,000	4062768114975




BLANKSTAHL C45+SL H6 GESCHLIFFEN RUND
EN10277/EN10278/EN10083

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
8	6	0,395	4062768113763	35	6	7,553	4062768113893
10	6	0,617	4062768113770	40	6	9,865	4062768113909
12	6	0,888	4062768113787	45	6	12,480	4062768113916
14	6	1,210	4062768113794	50	6	15,410	4062768113923
15	6	1,387	4062768113800	55	6	18,650	4062768113930
16	6	1,578	4062768113817	60	6	22,190	4062768113947
17	6	1,782	4062768113824	65	6	26,050	4062768113954
18	6	1,998	4062768113831	70	6	30,210	4062768113961
20	6	2,466	4062768113848	75	6	34,680	4062768113978
22	6	2,984	4062768113855	80	6	39,460	4062768113985
24	6	3,551	4062768113862	90	6	49,940	4062768113992
25	6	3,853	4062768113879	100	6	61,650	4062768114005
28	6	4,834	4062768113886	110	6	74,600	4062768115132
30	6	5,549	4062768113749	120	6	88,800	4062768113190




BLANKSTAHL S355J2+SL H6 GESCHLIFFEN RUND
EN10277/EN10278/EN10025

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
30	6	5,549	4062768115842	50	6	15,410	4062768115095
35	6	7,553	4062768115224	60	6	22,190	4062768115101
40	6	9,865	4062768115088	70	6	30,200	4062768115118



BLANKSTAHL 16MNCR5+C/SH H9 RUND

EN10277/EN10278/EN10084




mm	Länge mtr	kg/mtr	GTIN
8	3	0,395	4062768114098
10	3	0,617	4062768114104
12	3	0,888	4062768114111
15	3	1,387	4062768114135
16	3	1,578	4062768114142
18	3	1,998	4062768114159
20	3	2,466	4062768114166
25	3	3,853	4062768114197
30	3	5,549	4062768114227
32	3	6,313	4062768114234

mm	Länge mtr	kg/mtr	GTIN
35	3	7,553	4062768114241
40	3	9,865	4062768114265
45	3	12,480	4062768114272
50	3	15,410	4062768114289
55	3	18,650	4062768114296
60	3	22,190	4062768114302
65	3	26,050	4062768114319
70	3	30,210	4062768114326
80	3	39,460	4062768114333

BLANKSTAHL 42CRMO4+QT+C/SH H9 RUND

EN10277/EN10278/EN10084




mm	Länge mtr	kg/mtr	GTIN
25	6	3,853	4062768114425
30	6	5,549	4062768114449
40	6	9,865	4062768114494

mm	Länge mtr	kg/mtr	GTIN
50	6	15,410	4062768114548
70	6	30,210	4062768114593

AUTOMATENSTAHL 11SMN30+C/SH H9 RUND

EN10277/EN10278/EN10087




mm	Länge mtr	kg/mtr	GTIN
4	3	0,099	4062768112629
5	3	0,154	4062768112636
6	3	0,222	4062768112643
7	3	0,302	4062768112650
8	3	0,395	4062768112667
9	3	0,499	4062768112674
10	3	0,617	4062768112681
12	3	0,888	4062768112704
13	3	1,040	4062768112711
14	3	1,210	4062768112728
15	3	1,390	4062768112735
16	3	1,580	4062768112742
17	3	1,782	4062768112759
18	3	2,000	4062768112766
19	3	2,230	4062768112773
20	3	2,470	4062768112780
22	3	2,980	4062768112803
24	3	3,550	4062768112810
25	3	3,850	4062768112827
26	3	4,170	4062768112834
28	3	4,830	4062768112858
30	3	5,550	4062768112872
32	3	6,310	4062768112889
34	3	7,127	4062768112896

mm	Länge mtr	kg/mtr	GTIN
35	3	7,550	4062768112902
36	3	7,990	4062768112919
38	3	8,900	4062768112926
40	3	9,860	4062768112933
42	3	10,900	4062768112940
43	3	11,400	4062768112957
45	3	12,500	4062768112971
50	3	15,400	4062768113008
52	3	16,617	4062768113015
55	3	18,700	4062768113022
60	3	22,200	4062768113039
62	3	23,700	4062768115897
65	3	26,050	4062768113046
70	3	30,200	4062768113053
75	3	34,680	4062768113060
80	3	39,500	4062768113077
85	3	44,550	4062768113084
90	3	49,900	4062768113091
95	3	55,640	4062768113107
100	3	61,700	4062768113114
110	3	74,600	4062768113121
120	3	88,800	4062768113138
150	3	139,000	4062768115200

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


AUTOMATENSTAHL 11SMNPB30/37+C/SH H9 RUND
EN10277/EN10278/EN10087

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
4	3	0,099	4062768115323	45	3	12,480	4062768115354
10	3	0,617	4062768115330	50	3	15,410	4062768115293
15	3	1,387	4062768115248	52	3	16,620	4062768115309
19	3	2,230	4062768115484	55	3	18,650	4062768115934
20	3	2,466	4062768115255	60	3	22,190	4062768115361
25	3	3,853	4062768115347	62	3	23,720	4062768115507
28	3	4,834	4062768115880	70	3	30,210	4062768115378
30	3	5,549	4062768115262	75	3	34,680	4062768113060
35	3	7,553	4062768115279	80	3	39,460	4062768115385
40	3	9,865	4062768115286	85	3	44,550	4062768115316




BLANKSTAHL S235JRC+C H11 VIERKANT
EN10277/EN10278/EN10025

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
4	3	0,130	4062768116252	28	3	6,154	4062768117051
5	3	0,196	4062768116269	30	3	7,065	4062768116443
6	3	0,283	4062768116276	30	6	7,065	4062768117259
8	3	0,502	4062768116290	32	3	8,038	4062768116450
10	3	0,785	4062768116313	35	3	9,616	4062768116467
11	3	0,950	4062768116320	36	3	10,200	4062768116474
12	3	1,130	4062768116337	40	3	12,560	4062768116481
13	3	1,327	4062768116344	40	6	12,560	4062768117266
14	3	1,539	4062768116351	45	3	15,896	4062768116498
15	3	1,766	4062768116368	50	3	19,625	4062768116504
15	6	1,766	4062768117334	50	6	19,625	4062768117068
16	3	2,010	4062768116375	60	3	28,260	4062768116528
17	3	2,269	4062768116382	60	6	28,260	4062768117273
18	3	2,543	4062768116399	70	3	38,460	4062768116542
20	3	3,140	4062768116412	80	3	50,240	4062768116559
20	6	3,140	4062768117020	80	6	50,240	4062768117075
22	3	3,799	4062768116429	90	3	63,580	4062768116573
24	3	4,522	4062768117044	100	3	78,500	4062768116580
25	3	4,906	4062768116436	100	6	78,500	4062768117303
25	6	4,906	4062768117242	120	3	113,000	4062768116825




BLANKSTAHL S355J2C+C H11 VIERKANT
EN10277/EN10278/EN10025

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
20	6	3,140	4062768117129	60	6	28,300	4062768117198
25	6	4,910	4062768117136	70	6	38,460	4062768117235
30	6	7,070	4062768117143	80	6	50,200	4062768117204
35	6	9,620	4062768117150	90	6	63,580	4062768117211
40	6	12,600	4062768117167	100	6	78,500	4062768117228
50	6	19,620	4062768117112				




BLANKSTAHL C45+C H11 VIERKANT
EN10277/EN10278/EN10083



mm	Länge mtr	kg/mtr	GTIN
12	3	1,130	4062768117099
15	3	1,766	4062768116603
18	3	2,543	4062768116610
20	3	3,140	4062768116627
22	3	3,799	4062768117105
25	3	4,906	4062768116634
30	6	7,065	4062768116641
35	3	9,616	4062768116771
40	3	12,560	4062768116658

mm	Länge mtr	kg/mtr	GTIN
45	3	15,890	4062768116788
50	3	19,620	4062768116665
50	6	19,620	4062768117280
60	3	28,260	4062768116795
60	6	28,260	4062768117297
70	6	38,460	4062768116801
80	3	50,240	4062768116818
90	3	63,580	4062768117082
100	3	78,500	4062768117013


KEILSTAHL C45+C H9/H11 FLACH
DIN 6880/EN10083



mm	mm	Länge mtr	kg/mtr	GTIN
8	7	3	0,440	4062768118522
10	6	3	0,470	4062768118539
10	8	3	0,630	4062768118546
12	8	3	0,754	4062768118553
12	10	3	0,940	4062768118560
14	9	3	0,990	4062768118577
16	10	3	1,260	4062768118584
18	11	3	1,560	4062768118591

mm	mm	Länge mtr	kg/mtr	GTIN
20	12	3	1,880	4062768118607
22	14	3	2,410	4062768118614
25	14	3	2,750	4062768118621
28	16	3	3,520	4062768118645
32	18	3	4,520	4062768118669
36	20	3	5,650	4062768118683
40	22	3	6,910	4062768118706

KEILSTAHL C45+C H11 VIERKANT
DIN 6880/EN10083




mm	Länge mtr	kg/mtr	GTIN
4	3	0,120	4062768118775
5	3	0,196	4062768118362
6	3	0,283	4062768118379
8	3	0,502	4062768118393

mm	Länge mtr	kg/mtr	GTIN
10	3	0,785	4062768118409
12	3	1,130	4062768118416
14	3	1,539	4062768118423
16	3	2,010	4062768118430


AUTOMATENSTAHL 11SMN30+C SECHSKANT
EN10277/EN10278/EN10087

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
10	3	0,680	4062768117402	24	3	3,916	4062768117495
11	3	0,823	4062768117419	27	3	4,956	4062768117501
12	3	0,979	4062768117426	30	3	6,118	4062768117518
13	3	1,149	4062768117433	36	3	8,811	4062768117532
17	3	1,965	4062768118089	55	3	20,565	4062768117570
19	3	2,454	4062768118096				




AUTOMATENSTAHL 11SMNPB30/37+C H11 SECHSKANT
EN10277/EN10278/EN10087

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
8	3	0,435	4062768117389	24	3	3,916	4062768118102
9	3	0,551	4062768117396	27	3	4,956	4062768118027
13	3	1,149	4062768117440	30	3	6,118	4062768118034
14	3	1,330	4062768117457	32	3	6,961	4062768117525
17	3	1,965	4062768117464	36	3	8,811	4062768117662
19	3	2,454	4062768117471	41	3	11,428	4062768117549
22	3	3,290	4062768117488	46	3	14,385	4062768117556




BLANKSTAHL S235JRC+C DREIKANT
EN10277/EN10278/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
10	10	10	3	0,350	4062768110038	15	15	21,15	3	0,900	4062768110137
10	10	14,1	3	0,400	4062768110113	20	20	28,3	3	1,570	4062768110144




BLANKSTAHL S235JRC+C WINKEL GLEICHSCH.
DIN 59370/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
10	2	3	0,280	4062768118997	35	4	3	2,100	4062768119222
12	2	3	0,380	4062768119000	35	5	3	2,570	4062768119239
12	3	3	0,570	4062768119017	40	3	3	1,820	4062768119284
15	2	3	0,440	4062768119024	40	4	3	2,420	4062768119291
15	3	3	0,620	4062768119031	40	5	3	2,970	4062768119307
20	2	3	0,590	4062768119079	40	6	3	3,520	4062768119376
20	3	3	0,880	4062768119086	45	5	3	3,380	4062768119338
20	4	3	1,140	4062768119093	50	5	3	3,770	4062768119352
25	2	3	0,750	4062768119116	50	6	3	4,470	4062768119406
25	3	3	1,120	4062768119123	60	6	3	5,420	4062768118928
25	4	3	1,450	4062768119130	60	6	6	5,420	4062768119420
25	5	3	1,770	4062768119147	80	8	3	9,660	4062768119444
30	2	3	0,950	4062768119178	80	8	6	9,660	4062768119383
30	3	3	1,360	4062768119185	80	10	3	11,900	4062768118942
30	4	3	1,780	4062768119192	100	10	3	15,100	4062768118966
30	5	3	2,180	4062768119208	100	10	6	15,100	4062768118973
35	3	3	1,600	4062768119215					




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ BLANKSTAHL S235JRC+C WINKEL UNGLEICHSCH. DIN 59370/EN10025



mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	10	3	3	0,640	4062768119048
20	15	3	3	0,740	4062768119055
20	15	4	3	0,900	4062768119062
25	15	3	3	0,870	4062768119109
30	20	3	3	1,110	4062768119154
30	20	4	3	1,450	4062768119161
40	20	3	3	1,350	4062768119246
40	20	4	3	1,770	4062768119253
40	20	5	3	2,100	4062768119260

mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	30	3	3	1,650	4062768119277
45	30	4	3	2,250	4062768119314
45	30	5	3	2,770	4062768119321
50	30	5	3	2,960	4062768119390
60	30	5	3	3,370	4062768119345
60	40	5	3	3,760	4062768118911
80	40	6	3	5,410	4062768118935
100	50	10	3	11,100	4062768119437
100	50	10	6	11,100	4062768118959




■ BLANKSTAHL S235JRC+C T-STAHLE EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	40	4	3	2,390	4062768118836
40	40	5	3	2,600	4062768118843

mm	mm	mm	Länge mtr	kg/mtr	GTIN
45	45	5	3	3,340	4062768118850
48	48	5	3	3,550	4062768118867

■ SILBERSTAHL 115CRV3 RUND EN10278/ISO 4957



mm	Länge mtr	kg/mtr	GTIN
2	2	0,025	4062768115514
2,5	2	0,039	4062768115521
3	2	0,055	4062768115538
4	2	0,099	4062768115545
5	2	0,154	4062768115552
6	2	0,222	4062768115569
7	2	0,302	4062768115576
8	2	0,395	4062768115583
9	2	0,499	4062768115590
10	2	0,617	4062768115606
11	2	0,746	4062768115613
12	2	0,888	4062768115620
13	2	1,042	4062768115637

mm	Länge mtr	kg/mtr	GTIN
14	2	1,208	4062768115644
15	2	1,387	4062768115651
16	2	1,578	4062768115668
17	2	1,782	4062768115675
18	2	1,998	4062768115682
20	2	2,466	4062768115705
22	2	2,984	4062768115729
24	2	3,551	4062768115736
25	2	3,853	4062768115743
30	2	5,550	4062768115750
35	2	7,550	4062768115767
40	2	9,860	4062768115774
50	2	15,400	4062768115798