


FLACH EDELSTAHL 1.4301 VOM BAND


EN10058/EN10088



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
10,0	3,0	4	0,240	4062768167605	50,0	8,0	6	3,140	4062768165915
15,0	3,0	4	0,353	4062768165267	50,0	10,0	6	3,930	4062768165922
15,0	4,0	4	0,471	4062768165274	50,0	12,0	6	4,710	4062768165939
15,0	5,0	4	0,589	4062768165281	60,0	4,0	4	1,884	4062768165984
15,0	6,0	4	0,707	4062768165298	60,0	5,0	6	2,360	4062768165991
20,0	3,0	6	0,471	4062768165328	60,0	6,0	6	2,830	4062768166004
20,0	4,0	6	0,628	4062768165335	60,0	8,0	6	3,770	4062768166011
20,0	5,0	6	0,785	4062768165342	60,0	10,0	6	4,710	4062768166028
20,0	6,0	6	0,942	4062768165359	60,0	12,0	6	5,650	4062768166035
20,0	8,0	6	1,260	4062768165366	70,0	5,0	6	2,750	4062768166080
20,0	10,0	6	1,570	4062768165373	70,0	6,0	6	3,300	4062768166097
25,0	3,0	6	0,589	4062768165403	70,0	8,0	6	4,400	4062768166103
25,0	4,0	6	0,785	4062768165410	70,0	10,0	6	5,500	4062768166110
25,0	5,0	6	0,981	4062768165427	80,0	5,0	6	3,140	4062768166165
25,0	6,0	6	1,178	4062768165434	80,0	6,0	6	3,770	4062768166172
25,0	8,0	6	1,570	4062768165441	80,0	8,0	6	5,020	4062768166189
25,0	10,0	6	1,963	4062768165458	80,0	10,0	6	6,280	4062768166196
30,0	3,0	6	0,710	4062768165496	80,0	12,0	6	7,540	4062768166202
30,0	4,0	6	0,942	4062768165502	100,0	4,0	6	3,140	4062768168930
30,0	5,0	6	1,180	4062768165519	100,0	5,0	6	3,930	4062768166738
30,0	6,0	6	1,413	4062768165526	100,0	6,0	6	4,710	4062768166325
30,0	8,0	6	1,884	4062768165533	100,0	8,0	6	6,280	4062768166332
30,0	10,0	6	2,355	4062768165540	100,0	10,0	6	7,850	4062768166349
30,0	12,0	6	2,826	4062768169357	100,0	12,0	6	9,420	4062768166356
35,0	5,0	6	1,370	4062768165601	120,0	5,0	6	4,710	4062768167438
35,0	6,0	6	1,650	4062768165618	120,0	6,0	6	5,650	4062768166400
35,0	8,0	6	2,200	4062768165625	120,0	8,0	6	7,450	4062768166417
35,0	10,0	6	2,750	4062768165632	120,0	10,0	6	9,420	4062768166424
40,0	3,0	6	0,942	4062768165670	120,0	12,0	6	11,300	4062768166431
40,0	4,0	6	1,260	4062768165687	140,0	8,0	6	8,950	4062768166486
40,0	5,0	6	1,570	4062768165694	140,0	10,0	6	11,200	4062768166493
40,0	6,0	6	1,880	4062768165700	150,0	6,0	6	7,200	4062768166509
40,0	8,0	6	2,510	4062768165717	150,0	8,0	6	9,600	4062768166516
40,0	10,0	6	3,140	4062768165724	150,0	10,0	6	12,000	4062768166523
40,0	12,0	6	3,770	4062768169364	160,0	10,0	6	12,560	4062768167650
50,0	3,0	6	1,180	4062768165878	180,0	10,0	6	14,130	4062768167704
50,0	4,0	6	1,570	4062768165885	200,0	8,0	6	12,560	4062768167421
50,0	5,0	6	1,960	4062768165892	200,0	10,0	6	15,700	4062768167414
50,0	6,0	6	2,360	4062768165908	200,0	12,0	4	18,840	4062768169197


FLACH EDELSTAHL 1.4301 GEWALZT
EN10058/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	12,0	6	1,880	4062768165380	50,0	25,0	6	9,810	4062768165960
20,0	15,0	6	2,360	4062768165397	50,0	30,0	6	11,800	4062768165977
25,0	12,0	6	2,355	4062768165465	50,0	40,0	6	15,700	4062768169111
25,0	15,0	6	2,940	4062768165472	60,0	15,0	6	7,070	4062768166042
25,0	20,0	6	4,000	4062768165489	60,0	20,0	6	9,420	4062768166059
30,0	12,0	6	2,826	4062768165557	60,0	30,0	6	14,100	4062768166073
30,0	15,0	6	3,532	4062768165564	60,0	40,0	6	18,840	4062768168985
30,0	20,0	6	4,710	4062768165571	80,0	15,0	6	9,420	4062768166219
30,0	25,0	6	5,900	4062768167384	80,0	20,0	6	12,600	4062768166226
35,0	8,0	6	2,200	4062768169371	80,0	30,0	6	18,800	4062768166240
40,0	12,0	6	3,770	4062768165731	80,0	40,0	6	25,120	4062768168992
40,0	15,0	6	4,710	4062768165748	100,0	15,0	6	11,800	4062768166363
40,0	20,0	6	6,280	4062768165755	100,0	20,0	6	15,700	4062768166370
40,0	25,0	6	7,850	4062768165779	100,0	30,0	6	23,600	4062768166394
40,0	30,0	6	9,420	4062768165786	100,0	40,0	6	31,400	4062768169005
50,0	15,0	6	5,890	4062768165946	120,0	15,0	6	14,100	4062768166448
50,0	20,0	6	7,850	4062768165953	120,0	20,0	6	18,800	4062768166455




FLACH EDELSTAHL 1.4301 VOM BAND GESCHL. K240
EN10058/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	5,0	6	0,790	4062768167490	50,0	8,0	6	3,140	4062768166639
20,0	6,0	6	0,940	4062768167513	50,0	10,0	6	3,930	4062768166646
20,0	8,0	6	1,260	4062768167520	50,0	12,0	6	4,710	4062768169142
20,0	10,0	6	1,570	4062768167537	60,0	5,0	6	2,360	4062768166653
25,0	5,0	6	0,980	4062768167506	60,0	6,0	6	2,830	4062768166660
25,0	6,0	6	1,180	4062768167544	60,0	8,0	6	3,770	4062768166677
25,0	8,0	6	1,570	4062768167551	60,0	10,0	6	4,720	4062768166684
25,0	10,0	6	1,960	4062768167568	60,0	12,0	6	5,650	4062768169159
30,0	4,0	6	0,942	4062768169203	80,0	5,0	6	3,140	4062768167445
30,0	5,0	6	1,180	4062768166530	80,0	6,0	6	3,770	4062768167452
30,0	6,0	6	1,413	4062768166547	80,0	8,0	6	5,020	4062768166691
30,0	8,0	6	1,884	4062768166554	80,0	10,0	6	6,300	4062768166707
30,0	10,0	6	2,360	4062768166561	100,0	5,0	6	3,930	4062768167469
30,0	12,0	6	2,830	4062768169128	100,0	6,0	6	4,710	4062768167476
40,0	4,0	6	1,260	4062768169012	100,0	8,0	6	6,280	4062768167483
40,0	5,0	6	1,570	4062768166578	100,0	10,0	6	7,850	4062768166714
40,0	6,0	6	1,880	4062768166585	120,0	8,0	6	7,450	4062768169074
40,0	8,0	6	2,510	4062768166592	120,0	10,0	6	9,420	4062768169081
40,0	10,0	6	3,140	4062768166608	140,0	8,0	6	8,950	4062768169241
40,0	12,0	6	3,770	4062768169135	140,0	10,0	6	11,200	4062768169258
50,0	5,0	6	1,960	4062768166615	150,0	8,0	6	9,600	4062768169227
50,0	6,0	6	2,360	4062768166622	150,0	10,0	6	12,000	4062768169289




FLACH EDELSTAHL 1.4301 GEWALZT GESCHL. K240
EN10058/EN10088



mm	mm	Länge mtr	kg/mtr	GTIN
40,0	15,0	6	4,710	4062768169234
50,0	15,0	6	5,890	4062768167575
60,0	15,0	6	7,070	4062768169166

FLACH EDELSTAHL 1.4301 BLANK GEZOGEN
EN10278/EN10088




mm	mm	Länge mtr	kg/mtr	GTIN
10,0	5,0	3	0,400	4062768168909
15,0	5,0	3	0,600	4062768168787
15,0	6,0	3	0,707	4062768168817
15,0	8,0	3	0,960	4062768168824
15,0	10,0	3	1,180	4062768168831
15,0	12,0	3	1,413	4062768169265
20,0	5,0	3	0,790	4062768166745
20,0	6,0	3	0,940	4062768166752
20,0	8,0	3	1,260	4062768166769
20,0	10,0	3	1,570	4062768166776
20,0	12,0	3	1,880	4062768166783
20,0	15,0	3	2,360	4062768166790
25,0	5,0	3	0,980	4062768166806
25,0	6,0	3	1,180	4062768166813
25,0	8,0	3	1,570	4062768166820
25,0	10,0	3	1,960	4062768166837
25,0	12,0	3	2,360	4062768166848
25,0	15,0	3	2,940	4062768166844
25,0	20,0	3	3,930	4062768166851
30,0	4,0	3	0,940	4062768168855
30,0	5,0	3	1,180	4062768166868
30,0	6,0	3	1,410	4062768166875
30,0	8,0	3	1,880	4062768166882
30,0	10,0	3	2,360	4062768166899
30,0	12,0	3	2,830	4062768166905
30,0	15,0	3	3,532	4062768166912
30,0	20,0	3	4,710	4062768166929
30,0	25,0	3	5,890	4062768166936
35,0	12,0	3	3,300	4062768169180
35,0	15,0	3	4,120	4062768169098
40,0	4,0	3	1,256	4062768169326
40,0	5,0	3	1,570	4062768166943
40,0	6,0	3	1,880	4062768166950
40,0	8,0	3	2,510	4062768166967
40,0	10,0	3	3,140	4062768166974
40,0	12,0	3	3,770	4062768166981
40,0	15,0	3	4,710	4062768166998
40,0	20,0	3	6,280	4062768167001
40,0	25,0	3	7,850	4062768167018

mm	mm	Länge mtr	kg/mtr	GTIN
40,0	30,0	3	9,420	4062768167025
50,0	4,0	3	1,570	4062768169333
50,0	5,0	3	1,960	4062768167032
50,0	6,0	3	2,360	4062768167049
50,0	8,0	3	3,140	4062768167056
50,0	10,0	3	3,930	4062768167063
50,0	12,0	3	4,710	4062768167070
50,0	15,0	3	5,890	4062768167087
50,0	20,0	3	7,850	4062768167094
50,0	25,0	3	9,810	4062768167100
50,0	30,0	3	11,800	4062768167117
50,0	40,0	3	15,700	4062768169104
60,0	4,0	3	1,884	4062768169340
60,0	5,0	3	2,360	4062768167124
60,0	6,0	3	2,830	4062768167131
60,0	8,0	3	3,770	4062768167148
60,0	10,0	3	4,710	4062768167155
60,0	12,0	3	5,650	4062768167162
60,0	15,0	3	7,070	4062768167179
60,0	20,0	3	9,420	4062768167186
60,0	25,0	3	11,780	4062768167193
60,0	30,0	3	14,100	4062768167209
60,0	40,0	3	18,840	4062768167216
80,0	5,0	3	3,140	4062768167223
80,0	6,0	3	3,770	4062768167230
80,0	8,0	3	5,020	4062768167247
80,0	10,0	3	6,280	4062768167254
80,0	15,0	3	9,420	4062768167261
80,0	20,0	3	12,560	4062768167278
80,0	30,0	3	18,800	4062768167285
80,0	40,0	3	25,120	4062768167292
100,0	5,0	3	3,930	4062768167308
100,0	6,0	3	4,710	4062768167315
100,0	8,0	3	6,280	4062768167322
100,0	10,0	3	7,850	4062768167339
100,0	12,0	3	9,420	4062768167346
100,0	15,0	3	11,780	4062768167353
100,0	20,0	3	15,700	4062768167360
100,0	30,0	3	23,600	4062768167377

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


RUND EDELSTAHL 1.4301 GEZOGEN
EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
2,0	3	0,030	4062768175464	25,0	3	3,853	4062768172807
3,0	3	0,055	4062768172531	25,0	6	3,853	4062768173354
4,0	3	0,099	4062768172548	26,0	3	4,170	4062768173378
5,0	3	0,154	4062768172555	28,0	3	4,834	4062768172814
6,0	3	0,222	4062768172562	30,0	3	5,549	4062768172821
8,0	3	0,400	4062768172586	30,0	6	5,549	4062768175587
8,0	6	0,400	4062768173484	32,0	3	6,310	4062768173385
10,0	3	0,617	4062768172609	33,0	3	6,710	4062768175396
10,0	6	0,617	4062768172616	35,0	3	7,553	4062768172838
12,0	3	0,888	4062768172647	40,0	3	9,865	4062768172845
12,0	6	0,888	4062768172654	42,0	3	10,880	4062768175280
14,0	3	1,208	4062768172685	45,0	3	12,490	4062768172852
14,0	6	1,208	4062768172708	50,0	3	15,414	4062768172869
15,0	3	1,387	4062768172715	55,0	3	18,700	4062768173323
15,0	6	1,387	4062768172722	60,0	3	22,195	4062768172883
16,0	3	1,580	4062768172746	65,0	3	26,100	4062768173330
16,0	6	1,580	4062768175167	70,0	3	30,210	4062768172890
18,0	3	1,998	4062768172760	75,0	3	34,700	4062768173347
20,0	3	2,470	4062768172777	80,0	3	39,500	4062768172876
20,0	6	2,470	4062768173491	90,0	3	49,940	4062768175334
22,0	3	2,984	4062768172784	100,0	3	62,800	4062768175327
24,0	3	3,551	4062768172791				




RUND EDELSTAHL 1.4301 H6
EN10278/ISO286-2

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
5,0	3	0,150	4062768185531	16,0	3	1,580	4062768185609
6,0	3	0,220	4062768185548	20,0	3	2,470	4062768185623
8,0	3	0,390	4062768185555	24,0	3	3,550	4062768185647
10,0	3	0,620	4062768185562	25,0	3	3,850	4062768185654
12,0	3	0,890	4062768185579	30,0	3	5,550	4062768185685
14,0	3	1,210	4062768185586	35,0	3	7,550	4062768185692
15,0	3	1,390	4062768185593	40,0	3	9,860	4062768185708



RUND EDELSTAHL 1.4301 GEWALZT


EN10060/EN10088



mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
80,0	6	39,500	4062768172906	140,0	6	121,000	4062768172951
90,0	6	49,940	4062768172913	150,0	6	139,000	4062768172968
100,0	6	62,800	4062768172920	160,0	6	161,000	4062768172975
110,0	6	75,000	4062768172937	180,0	6	200,000	4062768172982
120,0	6	88,800	4062768172999	190,0	6	223,000	4062768175310
125,0	6	96,000	4062768175228	200,0	6	246,500	4062768173002
130,0	6	109,000	4062768172944	210,0	6	272,000	4062768175532

RUND EDELSTAHL 1.4301 GESCHL. K240


EN10278/EN10088



mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
8,0	3	0,400	4062768175457	14,0	6	1,208	4062768173187
8,0	6	0,400	4062768175549	15,0	3	1,387	4062768172739
10,0	3	0,617	4062768172623	15,0	6	1,387	4062768175433
10,0	6	0,617	4062768173163	16,0	3	1,578	4062768172753
12,0	3	0,888	4062768172661	16,0	6	1,578	4062768175440
12,0	6	0,888	4062768173170	20,0	3	2,470	4062768175501
14,0	3	1,208	4062768172692	20,0	6	2,470	4062768175518

RUND EDELSTAHL 1.4305 GEZOGEN


EN10278/EN10088



mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
5,0	3	0,154	4062768175556	28,0	3	4,834	4062768173453
6,0	3	0,222	4062768173019	30,0	3	5,550	4062768173088
8,0	3	0,400	4062768173026	32,0	3	6,310	4062768173446
10,0	3	0,620	4062768173033	35,0	3	7,550	4062768173194
12,0	3	0,890	4062768173040	40,0	3	9,870	4062768173095
14,0	3	1,208	4062768173392	45,0	3	12,490	4062768173200
15,0	3	1,390	4062768173057	50,0	3	15,700	4062768173101
16,0	3	1,580	4062768173217	55,0	3	18,650	4062768175211
18,0	3	2,000	4062768175235	60,0	3	22,200	4062768173118
20,0	3	2,470	4062768173064	70,0	3	30,210	4062768173224
22,0	3	2,984	4062768175297	80,0	3	39,460	4062768173231
24,0	3	3,551	4062768175303	90,0	3	49,940	4062768175341
25,0	3	3,850	4062768173071	100,0	3	62,800	4062768175358
26,0	3	4,170	4062768173415				


RUND EDELSTAHL 1.4305 H6
EN10278/ISO286-2

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
5,0	3	0,150	4062768185715	16,0	3	1,580	4062768185784
6,0	3	0,220	4062768185722	20,0	3	2,470	4062768185807
8,0	3	0,390	4062768185739	24,0	3	3,550	4062768185821
10,0	3	0,620	4062768185746	25,0	3	3,850	4062768185838
12,0	3	0,890	4062768185753	30,0	3	5,550	4062768185869
14,0	3	1,210	4062768185760	35,0	3	7,550	4062768185876
15,0	3	1,390	4062768185777	40,0	3	9,860	4062768185883




RUND EDELSTAHL 1.4571 GEZOGEN
EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6,0	3	0,222	4062768094871	30,0	3	5,549	4062768173125
8,0	3	0,400	4062768175365	35,0	3	7,553	4062768175273
10,0	3	0,620	4062768173248	40,0	3	9,870	4062768173293
12,0	3	0,890	4062768173255	45,0	3	12,490	4062768173408
15,0	3	1,390	4062768173262	50,0	3	15,410	4062768173309
16,0	3	1,580	4062768173422	60,0	3	22,200	4062768173316
18,0	3	2,000	4062768173361	70,0	3	30,210	4062768175372
20,0	3	2,470	4062768173279	80,0	3	39,500	4062768175389
25,0	3	3,850	4062768173286				




VIERTANT EDELSTAHL 1.4301 GEZOGEN
EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6,0	3	0,283	4062768169388	20,0	3	3,140	4062768169456
8,0	3	0,502	4062768169395	25,0	3	5,200	4062768169463
10,0	3	0,785	4062768169401	30,0	3	7,070	4062768169470
12,0	3	1,130	4062768169418	35,0	3	9,620	4062768169708
14,0	3	1,540	4062768169425	40,0	3	12,560	4062768169487
15,0	3	1,766	4062768169432	50,0	3	20,000	4062768169494
16,0	3	2,010	4062768169449	60,0	3	28,800	4062768169500
18,0	3	2,590	4062768170131				




VIERTANT EDELSTAHL 1.4301 GEZOGEN + GESCHL. K240
EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
10,0	3	0,785	4062768170162	15,0	3	1,766	4062768170193
12,0	3	1,130	4062768170186	20,0	3	3,140	4062768170179




■ VIERKANT EDELSTAHL 1.4305 GEZOGEN

EN10278/EN10088



mm	Länge mtr	kg/mtr	GTIN
10,0	3	0,785	4062768169685
12,0	3	1,130	4062768169999
15,0	3	1,766	4062768169692
20,0	3	3,140	4062768169661

mm	Länge mtr	kg/mtr	GTIN
25,0	3	5,200	4062768170025
30,0	3	7,070	4062768170032
40,0	3	12,560	4062768170056




■ SECHSKANT EDELSTAHL 1.4301 GEZOGEN

EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
8	3	0,450	4062768169517
10	3	0,683	4062768169524
12	3	0,980	4062768169531
13	3	1,150	4062768169883
14	3	1,330	4062768169548
17	3	1,970	4062768169555

mm	Länge mtr	kg/mtr	GTIN
19	3	2,480	4062768169562
22	3	3,290	4062768169579
24	3	3,940	4062768169586
27	3	4,960	4062768170148




■ SECHSKANT EDELSTAHL 1.4305 GEZOGEN

EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
10	3	0,683	4062768169869
13	3	1,150	4062768170216
17	3	1,970	4062768169616
19	3	2,480	4062768169623

mm	Länge mtr	kg/mtr	GTIN
22	3	3,290	4062768169630
24	3	3,940	4062768169647
27	3	4,960	4062768169654
30	3	6,120	4062768169715



■ U-PROFIL EDELSTAHL 1.4301 GEWALZT


DIN 1026/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	40,0	3,0	6	2,200	4062768171480
38,0	50,0	5,0	6	5,700	4062768171534
30,0	60,0	6,0	6	5,100	4062768170568

mm	mm	mm	Länge mtr	kg/mtr	GTIN
40,0	80,0	5,0	6	5,940	4062768170575
50,0	100,0	6,0	6	8,940	4062768170582


WINKEL EDELSTAHL 1.4301 WARMGEWALZT GLEICHSCH.
DIN 1028/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
15,0	3,0	6	0,707	4062768170674	45,0	5,0	6	3,340	4062768170766
20,0	3,0	6	0,880	4062768170223	50,0	4,0	6	3,070	4062768170780
25,0	3,0	6	1,120	4062768170230	50,0	5,0	6	3,770	4062768170377
30,0	3,0	6	1,360	4062768170254	50,0	6,0	6	4,470	4062768170315
30,0	4,0	6	1,780	4062768170261	60,0	5,0	6	4,600	4062768171817
30,0	5,0	6	2,170	4062768170711	60,0	6,0	6	5,420	4062768170322
35,0	4,0	6	2,100	4062768170278	70,0	7,0	6	7,470	4062768170339
40,0	3,0	6	1,880	4062768170742	80,0	8,0	6	9,660	4062768170346
40,0	4,0	6	2,420	4062768170285	100,0	10,0	6	15,100	4062768170360
40,0	5,0	6	2,970	4062768170292					




WINKEL EDELSTAHL 1.4301 WARMGEWALZT UNGLEICHSCH.
DIN 1028/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
40,0	20,0	4,0	6	1,800	4062768170506	60,0	40,0	5,0	6	3,730	4062768170537
50,0	30,0	5,0	6	2,950	4062768170513	80,0	40,0	6,0	6	5,410	4062768170544
60,0	30,0	5,0	6	3,370	4062768170520	100,0	50,0	6,0	6	6,800	4062768170551




WINKEL EDELSTAHL 1.4301 WARMGEWALZT GLEICHSCH. GESCHL. K240
DIN 1028/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN
25,0	3,0	6	1,120	4062768170605
30,0	3,0	6	1,360	4062768170612
40,0	4,0	6	2,420	4062768170629
50,0	5,0	6	3,770	4062768170636
60,0	6,0	6	5,420	4062768170643



■ QUADRATROHR EDELSTAHL 1.4301 ROH

EN10296-2/EN10088




mm	mm	mm	Länge mtr	kg/mtr	GTIN
15,0	15,0	1,5	6	0,676	4062768175846
20,0	20,0	1,5	6	0,920	4062768175877
20,0	20,0	2	6	1,202	4062768175617
25,0	25,0	1,5	6	1,164	4062768175907
25,0	25,0	2,5	6	1,880	4062768177604
25,0	25,0	3	6	2,167	4062768178182
25,0	25,0	2	6	1,527	4062768180512
30,0	30,0	1,5	6	1,409	4062768175938
30,0	30,0	2	6	1,853	4062768175631
30,0	30,0	3	6	2,704	4062768175945
35,0	35,0	2	6	2,178	4062768175679
40,0	40,0	1,5	6	1,897	4062768176003
40,0	40,0	3	6	3,681	4062768175693
40,0	40,0	4	6	4,808	4062768176027
40,0	40,0	2	6	2,504	4062768180536
45,0	45,0	2	6	2,830	4062768176041
50,0	50,0	2	6	3,155	4062768175709
50,0	50,0	3	6	4,657	4062768175723

mm	mm	mm	Länge mtr	kg/mtr	GTIN
50,0	50,0	4	6	6,110	4062768176065
50,0	50,0	5	6	7,512	4062768177178
60,0	60,0	2	6	3,806	4062768175730
60,0	60,0	3	6	5,634	4062768175747
60,0	60,0	4	6	7,412	4062768176096
60,0	60,0	5	6	9,140	4062768176102
70,0	70,0	3	6	6,611	4062768177314
80,0	80,0	2	6	5,108	4062768176119
80,0	80,0	3	6	7,587	4062768176133
80,0	80,0	4	6	10,016	4062768176140
80,0	80,0	5	6	12,395	4062768176157
100,0	100,0	2	6	6,410	4062768176164
100,0	100,0	3	6	9,540	4062768176171
100,0	100,0	4	6	12,620	4062768176188
100,0	100,0	5	6	15,650	4062768176195
120,0	120,0	3	6	11,493	4062768176218
120,0	120,0	4	6	15,224	4062768176225

■ QUADRATROHR EDELSTAHL 1.4301 GESCHL. K240

EN10296-2/EN10088




mm	mm	mm	Länge mtr	kg/mtr	GTIN
15,0	15,0	1,5	6	0,676	4062768177369
20,0	20,0	2	6	1,200	4062768177048
25,0	25,0	2	6	1,527	4062768176874
25,0	25,0	2,5	6	1,880	4062768178168
25,0	25,0	3	6	2,167	4062768178175
30,0	30,0	3	6	2,704	4062768177253
30,0	30,0	2	6	1,853	4062768176881
35,0	35,0	2	6	2,178	4062768177260
40,0	40,0	2	6	2,504	4062768176898
40,0	40,0	3	6	3,681	4062768177246
40,0	40,0	4	6	4,808	4062768178151
45,0	45,0	2	6	2,830	4062768178205
50,0	50,0	2	6	3,160	4062768177055

mm	mm	mm	Länge mtr	kg/mtr	GTIN
50,0	50,0	3	6	4,657	4062768177147
50,0	50,0	4	6	6,110	4062768178144
60,0	60,0	2	6	3,800	4062768177062
60,0	60,0	3	6	5,634	4062768177154
60,0	60,0	4	6	7,412	4062768177420
70,0	70,0	3	6	6,611	4062768177512
80,0	80,0	2	6	5,108	4062768177079
80,0	80,0	3	6	7,587	4062768177161
80,0	80,0	4	6	10,016	4062768177505
100,0	100,0	2	6	6,410	4062768177284
100,0	100,0	3	6	9,540	4062768177086
100,0	100,0	4	6	12,620	4062768177468
120,0	120,0	3	6	11,493	4062768177444


QUADRATROHR EDELSTAHL 1.4571 ROH
EN10296-2/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	20,0	2	6	1,202	4062768182813	50,0	50,0	4	6	6,110	4062768183056
25,0	25,0	2	6	1,527	4062768182844	60,0	60,0	2	6	3,806	4062768183070
30,0	30,0	2	6	1,853	4062768182882	60,0	60,0	3	6	5,634	4062768183087
40,0	40,0	2	6	2,504	4062768182967	60,0	60,0	4	6	7,412	4062768183094
40,0	40,0	3	6	3,681	4062768182974	80,0	80,0	2	6	5,108	4062768183155
40,0	40,0	4	6	4,808	4062768182981	80,0	80,0	3	6	7,587	4062768183162
50,0	50,0	2	6	3,155	4062768183025	100,0	100,0	3	6	9,540	4062768183216
50,0	50,0	3	6	4,657	4062768183049	100,0	100,0	4	6	12,620	4062768183223




RECHTECKROHR EDELSTAHL 1.4301 ROH
EN10296-2/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	10,0	1,5	6	0,676	4062768176270	60,0	40,0	3	6	4,657	4062768176591
25,0	10,0	1,5	6	0,798	4062768177116	60,0	40,0	4	6	6,110	4062768177277
25,0	15,0	1,5	6	0,920	4062768176287	80,0	20,0	2	6	3,155	4062768177130
30,0	10,0	1,5	6	0,920	4062768176294	80,0	30,0	2	6	3,481	4062768177185
30,0	15,0	1,5	6	1,042	4062768176324	80,0	40,0	2	6	3,806	4062768175785
30,0	15,0	2	6	1,365	4062768176331	80,0	40,0	3	6	5,634	4062768176614
30,0	20,0	1,5	6	1,164	4062768176362	80,0	40,0	4	6	7,412	4062768176621
30,0	20,0	2	6	1,527	4062768175648	80,0	50,0	3	6	6,122	4062768176638
30,0	20,0	3	6	2,072	4062768178199	80,0	60,0	2	6	4,457	4062768176652
35,0	20,0	2	6	1,654	4062768177581	80,0	60,0	3	6	6,611	4062768176669
40,0	15,0	1,5	6	1,286	4062768176379	100,0	20,0	2	6	3,711	4062768177536
40,0	20,0	2	6	1,853	4062768175655	100,0	40,0	2	6	4,457	4062768176676
40,0	20,0	3	6	2,420	4062768177529	100,0	40,0	3	6	6,611	4062768176690
40,0	30,0	2	6	2,178	4062768176430	100,0	50,0	2	6	4,783	4062768176706
40,0	30,0	3	6	3,193	4062768176447	100,0	50,0	3	6	7,099	4062768176713
50,0	20,0	2	6	2,178	4062768175662	100,0	50,0	4	6	9,365	4062768176720
50,0	25,0	2	6	2,341	4062768176478	100,0	60,0	2	6	5,108	4062768176737
50,0	30,0	2	6	2,504	4062768175754	100,0	60,0	3	6	7,587	4062768176744
50,0	30,0	3	6	3,681	4062768176508	100,0	60,0	4	6	10,016	4062768176751
50,0	40,0	3	6	4,170	4062768177680	100,0	80,0	3	6	8,564	4062768177215
50,0	40,0	2	6	2,830	4062768176522	120,0	40,0	2	6	5,108	4062768176775
60,0	20,0	2	6	2,504	4062768176546	120,0	40,0	3	6	7,587	4062768176782
60,0	30,0	2	6	2,830	4062768175761	120,0	60,0	3	6	8,564	4062768176805
60,0	30,0	3	6	4,169	4062768176560	120,0	60,0	4	6	11,318	4062768176812
60,0	40,0	2	6	3,155	4062768175778						




RECHTECKROHR EDELSTAHL 1.4301 GESCHL. K240 EN10296-2/EN10088



mm	mm	mm	Länge mtr	kg/mtr	GTIN
30,0	15,0	1,5	6	1,042	4062768177291
30,0	15,0	2	6	1,365	4062768177239
30,0	20,0	2	6	1,527	4062768176942
40,0	15,0	1,5	6	1,286	4062768177307
40,0	20,0	2	6	1,853	4062768176959
40,0	20,0	3	6	2,420	4062768177567
40,0	30,0	2	6	2,178	4062768177109
50,0	20,0	2	6	2,178	4062768176966
50,0	25,0	2	6	2,504	4062768177482
50,0	30,0	2	6	2,504	4062768176973
50,0	30,0	3	6	3,681	4062768176980
50,0	40,0	2	6	2,830	4062768177611
60,0	20,0	2	6	2,504	4062768177352
60,0	30,0	3	6	4,169	4062768177000
60,0	30,0	2	6	2,830	4062768176997
60,0	40,0	2	6	3,160	4062768177017
60,0	40,0	3	6	4,657	4062768177321

mm	mm	mm	Länge mtr	kg/mtr	GTIN
60,0	40,0	4	6	6,110	4062768177499
80,0	20,0	2	6	3,155	4062768177475
80,0	30,0	2	6	3,481	4062768177550
80,0	40,0	2	6	3,806	4062768177024
80,0	40,0	3	6	5,634	4062768177031
80,0	50,0	3	6	6,122	4062768177437
80,0	60,0	2	6	4,457	4062768177543
80,0	60,0	3	6	6,611	4062768177390
100,0	20,0	2	6	3,711	4062768178113
100,0	40,0	2	6	4,457	4062768177376
100,0	40,0	3	6	6,611	4062768177383
100,0	50,0	2	6	4,783	4062768177338
100,0	50,0	3	6	7,099	4062768177345
100,0	60,0	3	6	7,587	4062768177451
120,0	40,0	2	6	5,108	4062768177574
120,0	60,0	3	6	8,564	4062768177406

RECHTECKROHR EDELSTAHL 1.4571 ROH EN10296-2/EN10088




mm	mm	mm	Länge mtr	kg/mtr	GTIN
30,0	20,0	2	6	1,527	4062768183476
40,0	10,0	1,5	6	1,160	4062768183483
40,0	20,0	2	6	1,853	4062768183544
50,0	20,0	2	6	2,178	4062768183599
50,0	30,0	2	6	2,504	4062768094932
60,0	30,0	2	6	2,830	4062768183636
60,0	30,0	3	6	4,169	4062768183643

mm	mm	mm	Länge mtr	kg/mtr	GTIN
60,0	40,0	2	6	3,155	4062768183667
60,0	40,0	3	6	4,657	4062768183674
60,0	40,0	4	6	6,110	4062768183681
80,0	40,0	3	6	5,634	4062768183728
80,0	60,0	3	6	6,611	4062768183773
100,0	50,0	3	6	7,099	4062768183865
100,0	60,0	3	6	7,587	4062768183902


RUNDROHR EDELSTAHL 1.4301 GESCHW.
EN10296-2/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	2,0	6	0,901	4062768178212	50,0	2,0	6	2,404	4062768179301
21,3	2,0	6	0,967	4062768178229	50,0	3,0	6	3,530	4062768180710
21,3	2,5	6	1,177	4062768178724	54,0	2,0	6	2,604	4062768179387
22,0	2,0	6	1,002	4062768178755	60,3	2,0	6	2,920	4062768178304
25,0	1,5	6	0,883	4062768178793	60,3	2,5	6	3,618	4062768179455
25,0	2,0	6	1,152	4062768178236	60,3	3,0	6	4,300	4062768179479
26,9	2,0	6	1,247	4062768178243	70,0	2,0	6	3,405	4062768179561
26,9	2,5	6	1,527	4062768178823	70,0	3,0	6	5,030	4062768179585
30,0	2,0	6	1,402	4062768178250	76,1	2,0	6	3,711	4062768179608
32,0	2,0	6	1,502	4062768178922	76,1	3,0	6	5,490	4062768179639
33,7	2,0	6	1,588	4062768178267	84,0	2,0	6	4,107	4062768179677
33,7	2,5	6	2,025	4062768178953	88,9	2,0	6	4,352	4062768179707
33,7	3,0	6	2,306	4062768178960	88,9	3,0	6	6,453	4062768179745
40,0	2,0	6	1,903	4062768178274	88,9	4,0	6	8,504	4062768179769
40,0	3,0	6	2,779	4062768179141	101,6	2,0	6	4,988	4062768179783
42,4	2,0	6	2,023	4062768178281	101,6	3,0	6	7,407	4062768179790
42,4	2,5	6	2,591	4062768179165	101,6	4,0	6	9,776	4062768180659
42,4	3,0	6	3,141	4062768179172	114,3	2,0	6	5,624	4062768179844
48,3	2,0	6	2,319	4062768178298	114,3	3,0	6	8,361	4062768180185
48,3	2,5	6	2,975	4062768179257	129,0	2,0	6	6,360	4062768179905
48,3	3,0	6	3,403	4062768180062	139,7	4,0	6	13,592	4062768179950




RUNDROHR EDELSTAHL 1.4301 GESCHW. GESCHL. K240
EN10296-2/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
10,0	1,5	6	0,319	4062768180116	40,0	2,0	6	1,903	4062768178397
12,0	1,5	6	0,394	4062768180123	42,4	2,0	6	2,023	4062768178328
14,0	1,5	6	0,470	4062768180130	42,4	2,5	6	2,498	4062768180321
15,0	1,5	6	0,509	4062768180178	42,4	3,0	6	2,960	4062768180277
16,0	1,0	6	0,376	4062768178595	48,3	2,0	6	2,319	4062768180505
16,0	1,5	6	0,545	4062768180192	48,3	2,5	6	2,867	4062768180253
16,0	2,0	6	0,701	4062768180147	48,3	3,0	6	3,403	4062768180284
17,2	2,0	6	0,761	4062768180154	48,3	4,0	6	4,440	4062768180758
18,0	1,5	6	0,620	4062768180369	50,0	2,0	6	2,404	4062768178403
20,0	1,5	6	0,695	4062768180291	54,0	2,0	6	2,604	4062768178410
20,0	2,0	6	0,901	4062768178342	60,3	2,0	6	2,920	4062768178427
21,3	2,0	6	0,967	4062768178359	70,0	2,0	6	3,405	4062768180642
22,0	2,0	6	1,002	4062768180703	76,1	2,0	6	3,711	4062768180161
25,0	1,5	6	0,883	4062768180727	76,1	3,0	6	5,490	4062768180437
25,0	2,0	6	1,152	4062768178366	80,0	2,0	6	3,906	4062768180468
26,9	2,0	6	1,247	4062768180499	88,9	2,0	6	4,352	4062768180307
26,9	2,0	6	1,247	4062768178373	88,9	3,0	6	6,453	4062768180444
26,9	2,5	6	1,527	4062768180635	88,9	4,0	6	8,504	4062768180680
30,0	2,0	6	1,402	4062768178380	101,6	2,0	6	4,988	4062768180093
33,7	2,0	6	1,588	4062768178311	101,6	3,0	6	7,407	4062768180451
33,7	2,5	6	1,953	4062768180079	101,6	4,0	6	9,776	4062768180666
33,7	3,0	6	2,306	4062768180260	114,3	2,0	6	5,624	4062768180314
35,0	2,0	6	1,653	4062768180406	114,3	3,0	6	8,361	4062768180628
38,0	2,0	6	1,803	4062768180390					




■ RUNDROHR EDELSTAHL LASERGESCHW. 1.4301 ROH EN10217/7 EN10088




mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
6,0	1,0	6	0,130	4062768178434	139,7	2,0	6	6,896	4062768179929
8,0	1,0	6	0,175	4062768178441	139,7	3,0	6	10,269	4062768179943
30,0	3,0	6	2,028	4062768178892	154,0	2,0	6	7,612	4062768179967
42,4	4,0	6	3,790	4062768180734	168,3	2,0	6	8,328	4062768179981
48,3	4,0	6	4,440	4062768180741	168,3	3,0	6	12,417	4062768180000
60,3	4,0	6	5,639	4062768179509	204,0	2,0	6	10,120	4062768180246
80,0	2,0	6	3,906	4062768179660	219,1	3,0	6	16,233	4062768180024
108,0	2,0	6	5,308	4062768179813					

■ RUNDROHR EDELSTAHL 1.4301 LASERGESCHW. GESCHL. K240 EN10217/7 EN10088




mm	mm	Länge mtr	kg/mtr	GTIN
42,4	4,0	6	3,790	4062768180765
60,3	4,0	6	5,639	4062768180697

■ RUNDROHR EDELSTAHL 1.4301 GESCHWEISST GEGLÜHT ROH EN10296-2/EN10088



mm	mm	Länge mtr	kg/mtr	GTIN
33,7	2,0	6	1,588	4062768094918


■ RUNDROHR EDELSTAHL 1.4301 LASERGESCHW. GEGLÜHT GESCHLIFFEN K240 EN10217-7/EN10088



mm	mm	Länge mtr	kg/mtr	GTIN
26,9	2,0	6	1,250	4062768176911
33,7	2,0	6	1,590	4062768176928
42,4	2,0	6	2,030	4062768176935


RUNDRÖHR EDELSTAHL 1.4571 GESCHW. ROH
EN10296-2/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
21,3	2,0	6	0,967	4062768184510	48,3	3,0	6	3,403	4062768185135
26,9	2,0	6	1,247	4062768184657	60,3	2,0	6	2,920	4062768185234
33,0	2,0	6	1,588	4062768184817	60,3	3,0	6	4,300	4062768185258
33,0	3,0	6	2,306	4062768184848	76,1	2,0	6	3,711	4062768185319
40,0	2,0	6	1,903	4062768184961	76,1	3,0	6	5,490	4062768185333
42,4	2,0	6	2,023	4062768185012	88,9	2,0	6	4,352	4062768185401
42,4	3,0	6	3,141	4062768185043	88,9	3,0	6	6,453	4062768185425
48,3	2,0	6	2,319	4062768185104	101,6	2,0	6	4,988	4062768185456




RUNDRÖHR EDELSTAHL 1.4571 GESCHW. GESCHL. K240
EN10296-2/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
21,3	2,0	6	0,967	4062768094956	48,3	2,0	6	2,319	4062768095045
26,9	2,0	6	1,247	4062768094970	48,3	3,0	6	3,403	4062768095083
33,7	2,0	6	1,588	4062768094994	60,3	2,0	6	2,920	4062768095090
33,7	3,0	6	2,306	4062768095007	60,3	3,0	6	4,300	4062768095106
42,4	2,0	6	2,023	4062768095021	76,1	2,0	6	3,711	4062768095113
42,4	3,0	6	3,141	4062768095038	76,1	3,0	6	5,490	4062768095137




BLECH EDELSTAHL 1.4301 2B (IIIC)
EN10028/EN10088



Stärke mm	Format mm	kg/Tafel	GTIN
0,5	1000 x 2000	8,000	4062768181755
0,6	1000 x 2000	9,600	4062768180789
0,6	1250 x 2500	15,000	4062768180901
0,7	1000 x 2000	11,200	4062768180796
0,7	1250 x 2500	17,500	4062768181915
0,8	1000 x 2000	13,000	4062768180802
0,8	1250 x 2500	20,000	4062768180918
0,8	1500 x 3000	29,000	4062768180925
1,0	1000 x 2000	16,000	4062768180819
1,0	1250 x 2500	25,000	4062768180932
1,0	1500 x 3000	36,000	4062768181052
1,25	1000 x 2000	20,000	4062768181403
1,25	1250 x 2500	31,500	4062768181410
1,2	1500 x 3000	45,000	4062768181618
1,5	1000 x 2000	24,000	4062768180826
1,5	1250 x 2500	37,500	4062768180949
1,5	1500 x 3000	54,000	4062768181069
2,0	1000 x 2000	32,000	4062768180833
2,0	1250 x 2500	50,000	4062768180956

Stärke mm	Format mm	kg/Tafel	GTIN
2,0	1500 x 3000	72,000	4062768181076
2,5	1000 x 2000	40,000	4062768180963
2,5	1250 x 2500	62,500	4062768180970
2,5	1500 x 3000	90,000	4062768180987
3,0	1000 x 2000	48,000	4062768180840
3,0	1250 x 2500	75,000	4062768180994
3,0	1500 x 3000	108,000	4062768181083
4,0	1000 x 2000	64,000	4062768182257
4,0	1250 x 2500	100,000	4062768182264
4,0	1500 x 3000	144,000	4062768182271
5,0	1000 x 2000	80,000	4062768182288
5,0	1250 x 2500	125,000	4062768182295
5,0	1500 x 3000	180,000	4062768182301
6,0	1000 x 2000	96,000	4062768182318
6,0	1250 x 2500	150,000	4062768182325
6,0	1500 x 3000	216,000	4062768182332


BLECH EDELSTAHL 1.4301 2B (IIIC) EINSEITIG FOLIERT
EN10028/EN10088



Stärke mm	Format mm	kg/Tafel	GTIN
1,0	1000 x 2000	16,000	4062768181663
1,0	1250 x 2500	25,000	4062768181670
1,0	1500 x 3000	36,000	4062768181687
1,5	1000 x 2000	24,000	4062768181694
1,5	1250 x 2500	37,500	4062768181700
1,5	1500 x 3000	54,000	4062768181717

Stärke mm	Format mm	kg/Tafel	GTIN
2,0	1000 x 2000	32,000	4062768181724
2,0	1250 x 2500	50,000	4062768181731
2,0	1500 x 3000	72,000	4062768181748
3,0	1000 x 2000	48,000	4062768181830
3,0	1250 x 2500	75,000	4062768181847
3,0	1500 x 3000	108,000	4062768181854

BLECH EDELSTAHL 1.4301 2B (IIIC) EINSEITIG GESCHL. K240 + FOLIERT
EN10028/EN10088




Stärke mm	Format mm	kg/Tafel	GTIN
0,8	1000 x 2000	13,000	4062768182349
0,8	1250 x 2500	20,000	4062768182356
1,0	1000 x 2000	16,000	4062768182127
1,0	1250 x 2500	25,000	4062768182165
1,0	1500 x 3000	36,000	4062768182202
1,5	1000 x 2000	24,000	4062768182134
1,5	1250 x 2500	37,500	4062768182172
1,5	1500 x 3000	54,000	4062768182219
2,0	1000 x 2000	32,000	4062768182141
2,0	1250 x 2500	50,000	4062768182189

Stärke mm	Format mm	kg/Tafel	GTIN
2,0	1500 x 3000	72,000	4062768182226
3,0	1000 x 2000	48,000	4062768182158
3,0	1250 x 2500	75,000	4062768182196
3,0	1500 x 3000	108,000	4062768182233
4,0	1000 x 2000	64,000	4062768182370
4,0	1250 x 2500	100,000	4062768182387
4,0	1500 x 3000	144,000	4062768182363
5,0	1000 x 2000	80,000	4062768182394
5,0	1250 x 2500	125,000	4062768182400
5,0	1500 x 3000	180,000	4062768182417

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


BLECH EDELSTAHL 1.4301 2B (IIIC) EINSEITIG GEBÜRSTET K400 + FOLIERT (DUPLOSCHLIFF)
EN10028/EN10088

Stärke mm	Format mm	kg/Tafel	GTIN	Stärke mm	Format mm	kg/Tafel	GTIN
1,0	1000 x 2000	16,000	4062768181151	2,0	1000 x 2000	32,000	4062768181175
1,0	1250 x 2500	25,000	4062768181199	2,0	1250 x 2500	50,000	4062768181229
1,0	1500 x 3000	36,000	4062768181243	2,0	1500 x 3000	72,000	4062768181267
1,5	1000 x 2000	24,000	4062768181168	3,0	1000 x 2000	48,000	4062768181182
1,5	1250 x 2500	37,500	4062768181205	3,0	1250 x 2500	75,000	4062768181236
1,5	1500 x 3000	54,000	4062768181250	3,0	1500 x 3000	108,000	4062768181274




BLECH EDELSTAHL 1.4301 2B (IIIC) BEIDSEITIG GEBÜRSTET K400 + FOLIERT (DUPLOSCHLIFF)
EN10028/EN10088

Stärke mm	Format mm	kg/Tafel	GTIN
2,0	1000 x 2000	32,000	4062768181823
2,0	1250 x 2500	50,000	4062768181809
2,0	1500 x 3000	72,000	4062768181793




BLECH EDELSTAHL 1.4301 2B (IIIC) BEIDSEITIG GESCHL. K400 + FOLIERT
EN10028/EN10088

Stärke mm	Format mm	kg/Tafel	GTIN	Stärke mm	Format mm	kg/Tafel	GTIN
1,5	1000 x 2000	24,000	4062768182424	2,0	1000 x 2000	32,000	4062768182479
1,5	1250 x 2500	37,500	4062768182431	2,0	1250 x 2500	50,000	4062768182462
1,5	1500 x 3000	54,000	4062768182448	2,0	1500 x 3000	72,000	4062768182455




BLECH EDELSTAHL 1.4301 1D (IIA)
EN10028/EN10088

Stärke mm	Format mm	kg/Tafel	GTIN	Stärke mm	Format mm	kg/Tafel	GTIN
3,0	1000 x 2000	48,000	4062768181465	8,0	1500 x 3000	288,000	4062768181120
3,0	1250 x 2500	75,000	4062768181472	10,0	1000 x 2000	160,000	4062768180895
3,0	1500 x 3000	108,000	4062768181489	10,0	1250 x 2500	253,000	4062768181045
4,0	1000 x 2000	64,000	4062768180857	10,0	1500 x 3000	366,000	4062768181137
4,0	1250 x 2500	100,000	4062768181007	12,0	1000 x 2000	196,000	4062768181526
4,0	1500 x 3000	144,000	4062768181090	12,0	1250 x 2500	313,000	4062768181533
5,0	1000 x 2000	80,000	4062768180864	12,0	1500 x 3000	448,000	4062768181540
5,0	1250 x 2500	125,000	4062768181014	15,0	1000 x 2000	245,000	4062768181557
5,0	1500 x 3000	180,000	4062768181106	15,0	1250 x 2500	378,000	4062768181564
6,0	1000 x 2000	96,000	4062768180871	15,0	1500 x 3000	554,000	4062768181571
6,0	1250 x 2500	150,000	4062768181021	20,0	1000 x 2000	332,000	4062768181588
6,0	1500 x 3000	216,000	4062768181113	20,0	1250 x 2500	522,000	4062768181595
8,0	1000 x 2000	128,000	4062768180888	20,0	1500 x 3000	740,000	4062768181601
8,0	1250 x 2500	202,000	4062768181038				



BLECH EDELSTAHL 1.4571 2B (IIIC)

EN10028/EN10088




Stärke mm	Format mm	kg/Tafel	GTIN
1,0	1000 x 2000	16,000	4062768181922
1,0	1250 x 2500	25,000	4062768181939
1,0	1500 x 3000	36,000	4062768181946
1,5	1000 x 2000	24,000	4062768181953
1,5	1250 x 2500	37,500	4062768181960
1,5	1500 x 3000	54,000	4062768181977
2,0	1000 x 2000	32,000	4062768181984
2,0	1250 x 2500	50,000	4062768181991
2,0	1500 x 3000	72,000	4062768182004

Stärke mm	Format mm	kg/Tafel	GTIN
3,0	1000 x 2000	48,000	4062768182011
3,0	1250 x 2500	75,000	4062768182028
3,0	1500 x 3000	108,000	4062768182035
4,0	1000 x 2000	64,000	4062768182080
4,0	1250 x 2500	100,000	4062768182059
4,0	1500 x 3000	144,000	4062768182073
5,0	1000 x 2000	80,000	4062768182110
5,0	1250 x 2500	125,000	4062768182103
5,0	1500 x 3000	180,000	4062768182097

TRÄNENBLECH EDELSTAHL 1.4301 MANDORLA

EN10204/EN10088



Stärke mm	Format mm	kg/Tafel	GTIN
3,0	1000 x 2000	55,000	4062768181281
3,0	1250 x 2500	88,000	4062768181311
3,0	1250 x 3000	102,000	4062768181656
3,0	1500 x 3000	135,000	4062768181816
4,0	1000 x 2000	70,000	4062768181298
4,0	1250 x 2500	113,000	4062768181328
4,0	1500 x 3000	162,000	4062768181359

Stärke mm	Format mm	kg/Tafel	GTIN
5,0	1000 x 2000	88,000	4062768181304
5,0	1250 x 2500	138,000	4062768181335
5,0	1500 x 3000	194,000	4062768181366
6,0	1000 x 2000	105,000	4062768181885
6,0	1250 x 2500	159,000	4062768181892
6,0	1500 x 3000	235,000	4062768181908