


QUALITÄTSSTAHL S355J2 FLACH
EN10058/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN
20	5	6	0,780	4062768129603
20	6	6	0,940	4062768129610
20	8	6	1,260	4062768129627
20	10	6	1,570	4062768129634
20	15	6	2,360	4062768129658
25	5	6	0,980	4062768129665
25	6	6	1,180	4062768129672
25	8	6	1,570	4062768129689
25	10	6	1,960	4062768129696
25	12	6	2,360	4062768129702
25	15	6	2,940	4062768129719
25	20	6	3,930	4062768129726
30	5	6	1,180	4062768129733
30	6	6	1,410	4062768129740
30	8	6	1,880	4062768129757
30	10	6	2,360	4062768129764
30	12	6	2,830	4062768129771
30	15	6	3,530	4062768137318
30	20	6	4,710	4062768129795
30	25	6	5,890	4062768129801
35	6	6	1,650	4062768129825
35	8	6	2,200	4062768129832
35	10	6	2,750	4062768129849
35	12	6	3,300	4062768129856
40	5	6	1,570	4062768129900
40	6	6	1,880	4062768129917
40	8	6	2,510	4062768129924
40	10	6	3,140	4062768129931
40	12	6	3,770	4062768129948
40	15	6	4,710	4062768129955
40	20	6	6,280	4062768129962
40	25	6	7,850	4062768129979
40	30	6	9,420	4062768137479
40	30	12	9,420	4062768137509
45	5	6	1,770	4062768129993
45	8	6	2,830	4062768130012
45	10	6	3,530	4062768130029
45	12	6	4,240	4062768130036
45	15	6	5,300	4062768130043
50	5	6	1,960	4062768130104
50	6	6	2,360	4062768130111
50	8	6	3,140	4062768130128
50	10	6	3,930	4062768137462
50	12	6	4,710	4062768130135
50	15	6	5,890	4062768130142
50	20	6	7,850	4062768130159
50	25	6	9,810	4062768130166

mm	mm	Länge mtr	kg/mtr	GTIN
50	30	6	11,800	4062768137370
50	30	12	11,800	4062768137486
50	35	6	13,740	4062768130173
50	40	6	15,700	4062768130180
50	40	12	15,700	4062768137271
55	10	6	4,320	4062768130227
60	5	6	2,360	4062768130319
60	6	6	2,830	4062768130326
60	8	6	3,770	4062768130333
60	10	6	4,710	4062768130340
60	12	6	5,650	4062768130357
60	15	6	7,070	4062768130364
60	20	6	9,420	4062768130371
60	25	6	11,780	4062768130388
60	30	6	14,130	4062768130395
60	35	6	16,490	4062768130401
60	40	6	18,800	4062768137455
60	40	12	18,830	4062768137516
60	40	12	18,830	4062768137592
60	50	6	23,560	4062768130418
70	8	6	4,400	4062768130579
70	10	6	5,500	4062768130586
70	12	6	6,600	4062768130593
70	15	6	8,240	4062768130609
70	20	6	10,990	4062768130616
70	25	6	13,740	4062768130623
70	30	6	16,490	4062768130630
70	35	6	19,230	4062768130647
70	40	6	21,980	4062768130654
70	50	6	27,480	4062768130661
70	60	6	32,980	4062768130678
80	5	6	3,140	4062768130821
80	6	6	3,770	4062768130838
80	8	6	5,020	4062768130845
80	10	6	6,280	4062768130852
80	12	6	7,540	4062768130869
80	15	6	9,420	4062768130876
80	20	6	12,560	4062768130883
80	25	6	15,700	4062768130890
80	30	6	18,840	4062768130906
80	35	6	21,980	4062768130913
80	40	6	25,120	4062768130920
80	50	6	31,400	4062768130937
80	60	6	37,680	4062768130944
80	60	12	37,680	4062768137417
90	8	6	5,650	4062768130982
90	10	6	7,070	4062768130999




doppelt gerichtet



QUALITÄTSSTAHL S355J2 FLACH


EN10058/EN10025



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
90	12	6	8,480	4062768131002	120	20	6	18,840	4062768131477
90	15	6	10,600	4062768131019	120	25	6	23,550	4062768131484
90	20	6	14,130	4062768131026	120	30	6	28,260	4062768131491
90	25	6	17,660	4062768131033	120	35	6	32,970	4062768131507
90	30	6	21,200	4062768131040	120	40	6	37,680	4062768131514
90	40	6	28,260	4062768131064	120	50	6	47,100	4062768131521
90	50	6	35,320	4062768131071	120	60	6	56,520	4062768131538
90	60	6	42,400	4062768131088	120	70	6	65,940	4062768131545
90	70	6	49,450	4062768131095	120	80	6	75,360	4062768131552
100	5	6	3,930	4062768131118	130	8	6	8,160	4062768131583
100	6	6	4,710	4062768131125	130	10	6	10,210	4062768131590
100	8	6	6,280	4062768131132	130	12	6	12,250	4062768131606
100	10	6	7,850	4062768131149	130	15	6	15,310	4062768131613
100	12	6	9,420	4062768131156	130	20	6	20,410	4062768131620
100	15	6	11,770	4062768131163	130	25	6	25,510	4062768131637
100	20	6	15,700	4062768131170	130	30	6	30,620	4062768131644
100	25	6	19,630	4062768131187	130	40	6	40,820	4062768131668
100	30	6	23,550	4062768131194	130	50	6	51,020	4062768131675
100	35	6	27,480	4062768131200	130	60	6	61,240	4062768131682
100	40	6	31,400	4062768131217	140	10	6	10,990	4062768131743
100	50	6	39,260	4062768131224	140	12	6	13,190	4062768131750
100	60	6	47,100	4062768131231	140	15	6	16,490	4062768131767
100	70	6	54,960	4062768131248	140	20	6	21,980	4062768131774
100	80	6	62,800	4062768131255	140	25	6	27,480	4062768131781
110	8	6	6,910	4062768131286	140	30	6	32,970	4062768131798
110	10	6	8,640	4062768131293	140	50	6	54,960	4062768131828
110	12	6	10,360	4062768131309	140	60	6	65,940	4062768131835
110	15	6	12,950	4062768131316	150	8	6	9,420	4062768131880
110	20	6	17,270	4062768131323	150	10	6	11,770	4062768131897
110	25	6	21,590	4062768131330	150	12	6	14,130	4062768131903
110	50	6	43,180	4062768131378	150	15	6	17,660	4062768131910
110	60	6	51,820	4062768131385	150	20	6	23,550	4062768131927
110	70	6	60,450	4062768137295	150	25	6	29,440	4062768131934
120	6	6	5,650	4062768131422	150	30	6	35,330	4062768131941
120	8	6	7,540	4062768131439	150	40	6	47,100	4062768131965
120	10	6	9,420	4062768131446	150	50	6	58,880	4062768131972
120	12	6	11,300	4062768131453	150	60	6	70,660	4062768131989
120	15	6	14,130	4062768131460	150	80	6	94,200	4062768132009


QUALITÄTSSTAHL S355J2 RUND
EN10060/EN10025

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
10	6	0,617	4062768141971	95	6	55,640	4062768140608
12	6	0,888	4062768140141	100	6	61,650	4062768141834
15	6	1,390	4062768140172	105	6	68,000	4062768141841
16	6	1,580	4062768140189	110	6	74,620	4062768141858
18	6	2,000	4062768140196	115	6	81,500	4062768140615
20	6	2,470	4062768140219	120	6	88,800	4062768141865
22	6	2,980	4062768140226	130	6	104,000	4062768141872
24	6	3,550	4062768140233	140	6	121,000	4062768141889
25	6	3,850	4062768140240	150	6	139,000	4062768141896
27	6	4,490	4062768140264	160	6	158,000	4062768141919
30	6	5,550	4062768140288	170	6	178,000	4062768141926
35	6	7,550	4062768140301	180	6	200,000	4062768141933
36	6	7,990	4062768140318	190	6	223,000	4062768141940
40	6	9,860	4062768140332	200	6	247,000	4062768141957
45	6	12,480	4062768140516	210	6	272,000	4062768141728
50	6	15,410	4062768140523	220	6	298,000	4062768141735
55	6	18,650	4062768140530	230	6	326,000	4062768141742
60	6	22,190	4062768140547	240	6	355,000	4062768141759
65	6	26,050	4062768140554	250	6	385,000	4062768141766
70	6	30,210	4062768140561	260	6	417,000	4062768140639
75	6	34,680	4062768140578	270	6	449,000	4062768140646
80	6	39,460	4062768141827	280	6	483,000	4062768141773
85	6	44,550	4062768140585	290	6	519,000	4062768140653
90	6	49,940	4062768140592	300	6	559,000	4062768141780




QUALITÄTSSTAHL S355J2 VIERKANT
EN10059/EN10025

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
12	6	1,130	4062768001664	70	6	38,500	4062768142145
20	6	3,140	4062768141988	70	12	38,500	4062768143180
25	6	4,910	4062768142015	80	6	50,200	4062768142169
30	6	7,070	4062768142046	80	12	50,200	4062768143173
35	6	9,620	4062768142060	90	6	63,600	4062768142176
40	6	12,600	4062768142084	100	6	78,500	4062768142183
45	6	15,900	4062768142091	110	12	95,000	4062768142190
50	6	19,600	4062768142107	120	12	113,000	4062768142206
50	12	19,600	4062768143135	130	12	133,000	4062768142213
55	6	23,700	4062768142114	140	12	154,000	4062768142220
60	6	28,300	4062768142121	150	6	177,000	4062768143159
60	12	28,300	4062768143128	150	12	177,000	4062768142237
65	6	33,200	4062768142138	160	12	201,000	4062768142244




QUALITÄTSSTAHL S355J2 T-STRAHL
EN10055/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
80	80	9	12	10,700	4062768095465	120	120	13	12	23,200	4062768144842
100	100	11	12	16,400	4062768144866	140	140	15	12	31,300	4062768144880




QUALITÄTSSTAHL S355J2 WINKEL GLEICHSCH. RUNDKANTIG EN10056/EN10025



mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	30	3	6	1,360	4062768143272	100	100	10	6	15,100	4062768143647
40	40	4	12	2,420	4062768143340	100	100	10	12	15,100	4062768144569
40	40	5	12	2,970	4062768144743	100	100	12	12	17,800	4062768143654
50	50	5	12	3,770	4062768143418	100	100	14	12	20,600	4062768144774
50	50	6	12	4,470	4062768143425	110	110	10	12	16,600	4062768144682
60	60	6	6	5,420	4062768143487	120	120	10	12	18,200	4062768143692
60	60	6	12	5,420	4062768144613	120	120	12	12	21,600	4062768144606
70	70	7	12	7,380	4062768144620	130	130	12	12	23,600	4062768143746
80	80	6	12	7,340	4062768143562	150	150	12	12	27,300	4062768143760
80	80	8	6	9,660	4062768144590	150	150	14	12	31,600	4062768144699
80	80	8	12	9,660	4062768143579	150	150	15	12	33,800	4062768143784
80	80	10	12	11,900	4062768143586	200	200	20	12	59,900	4062768144781
80	80	12	6	14,100	4062768143593	250	250	18	12	68,400	4062768144835
90	90	9	12	12,200	4062768144644	250	250	20	12	75,700	4062768144798
100	100	8	12	12,200	4062768144651	250	250	24	12	90,000	4062768010840


QUALITÄTSSTAHL S355J2 WINKEL UNGLEICHSCH. RUNDKANTIG EN10056/EN10025



mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
50	30	5	12	2,960	4062768095922	120	80	8	12	12,200	4062768144293
50	40	4	6	2,710	4062768143951	120	80	10	6	15,000	4062768144767
60	40	5	12	3,760	4062768144002	120	80	10	12	15,000	4062768144309
70	50	6	12	5,400	4062768144811	120	80	12	12	17,800	4062768144316
75	55	7	12	6,800	4062768144101	130	65	10	12	14,600	4062768144330
80	60	7	12	7,360	4062768144149	150	75	9	12	15,300	4062768144378
80	65	6	12	6,600	4062768144156	150	75	11	12	18,600	4062768144385
80	65	8	12	8,660	4062768144163	150	75	12	12	20,200	4062768144668
100	50	6	12	6,850	4062768144200	150	100	10	12	19,000	4062768144408
100	50	8	12	8,990	4062768144217	150	100	12	12	22,600	4062768144415
100	50	10	12	11,100	4062768144224	200	100	10	12	23,000	4062768144484
100	65	7	12	8,770	4062768144231	200	100	12	12	27,300	4062768144491
100	65	9	12	11,100	4062768144248	200	150	12	12	31,890	4062768144705
100	75	9	6	11,800	4062768144279	200	150	15	12	39,600	4062768144729
100	75	9	12	11,800	4062768095267						


QUALITÄTSSTAHL S355J2 BREITFLACH
DIN 59200/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
160	10	6	12,800	4062768137707	220	10	6	17,600	4062768138407
160	12	6	15,400	4062768137714	220	15	6	26,400	4062768138421
160	15	6	19,200	4062768137721	220	20	6	35,200	4062768138438
160	20	6	25,600	4062768137738	220	25	6	43,180	4062768138445
160	25	6	31,400	4062768137745	240	15	6	28,800	4062768138667
160	30	6	38,400	4062768137752	240	20	6	38,400	4062768138674
160	35	6	44,800	4062768137769	250	10	6	20,000	4062768138766
160	40	6	51,200	4062768137776	250	12	6	24,000	4062768138773
160	50	6	64,000	4062768137783	250	15	6	30,000	4062768138780
170	10	6	13,600	4062768137820	250	20	6	40,000	4062768138797
180	10	6	14,400	4062768137943	250	25	6	49,050	4062768138803
180	12	6	17,300	4062768137950	250	30	6	60,000	4062768138810
180	15	6	21,600	4062768137967	280	15	6	32,970	4062768139022
180	20	6	28,800	4062768137974	280	20	6	43,960	4062768139039
180	25	6	35,360	4062768137981	300	10	6	24,000	4062768139121
180	30	6	43,200	4062768137998	300	12	6	28,800	4062768139138
180	40	6	57,600	4062768138018	300	15	6	36,000	4062768139145
180	60	6	84,800	4062768139855	300	20	6	48,000	4062768139152
200	8	6	12,800	4062768138179	300	25	6	58,900	4062768139169
200	10	6	16,000	4062768138186	300	30	6	72,000	4062768139176
200	12	6	19,200	4062768138193	300	35	6	84,000	4062768139183
200	15	6	24,000	4062768138209	300	40	6	96,000	4062768139190
200	20	6	32,000	4062768138216	350	15	6	42,000	4062768139503
200	25	6	39,250	4062768138223	350	20	6	56,000	4062768139510
200	30	6	48,000	4062768138230	400	15	6	48,000	4062768139749
200	40	6	64,000	4062768138254	400	20	6	64,000	4062768139756
200	50	6	80,000	4062768138261					




QUALITÄTSSTAHL S355J2 U-STAHLE
DIN 1026/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
50	25	5	6	3,980	4062768140066	60	30	6	12	5,220	4062768140127
50	25	5	12	3,980	4062768140073	65	42	5,5	6	7,300	4062768140103
50	38	5	6	5,760	4062768140134	65	42	5,5	12	7,300	4062768140059
50	38	5	12	5,760	4062768140097						




FORMSTAHL UNP S355J2
DIN 1026/EN10025

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
80	12	8,900	4062768137332	160	12	19,300	4062768002128
100	12	10,900	4062768137325	180	12	22,500	4062768002142
120	12	13,700	4062768002098	200	12	26,000	4062768002159
140	12	16,400	4062768002104				




■ VERGÜTUNGSSTAHL C45E FLACH EN10058/EN10083



mm	mm	Länge mtr	kg/mtr	GTIN
30	10	6	2,360	4062768132443
35	15	6	4,120	4062768132542
120	12	6	11,300	4062768133563


mm	mm	Länge mtr	kg/mtr	GTIN
120	20	6	18,840	4062768133587
150	15	6	17,660	4062768133914
150	20	6	23,550	4062768133921



■ VERGÜTUNGSSTAHL C45E BREITFLACH DIN 59200/EN10083

mm	mm	Länge mtr	kg/mtr	GTIN
160	20	6	25,120	4062768140011
180	15	6	21,200	4062768140028


mm	mm	Länge mtr	kg/mtr	GTIN
180	20	6	28,000	4062768140035
200	20	6	31,400	4062768140042



■ VERGÜTUNGSSTAHL C45E RUND EN10060/EN10083

mm	Länge mtr	kg/mtr	GTIN
40	6	9,865	4062768140820
50	6	15,410	4062768140868
60	6	22,190	4062768140882
70	6	30,210	4062768140905
80	6	39,460	4062768140929

mm	Länge mtr	kg/mtr	GTIN
90	6	49,940	4062768140943
100	6	61,650	4062768140967
110	6	74,600	4062768140981
120	6	88,800	4062768141001




■ VERGÜTUNGSSTAHL C45E VIERKANT EN10059/EN10083

mm	Länge mtr	kg/mtr	GTIN
40	6	12,560	4062768142312
50	6	19,620	4062768142336
60	6	28,260	4062768142343

mm	Länge mtr	kg/mtr	GTIN
80	6	50,240	4062768142367
100	6	78,500	4062768142398


EINSATZSTAHL 16MNCR5 / 16MNCRS5 RUND
EN10060/EN10084

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
20	6	2,470	4062768145429	70	6	30,200	4062768145627
25	6	3,850	4062768145450	80	6	39,500	4062768145641
30	6	5,550	4062768145498	90	6	49,900	4062768145665
35	6	7,550	4062768145511	100	6	61,700	4062768145689
40	6	9,860	4062768145542	110	6	74,600	4062768145702
50	6	15,400	4062768145580	120	6	88,800	4062768145726
60	6	22,200	4062768145603				



EINSATZSTAHL 16MNCR5 / 16MNCRS5 VIERKANT
EN10059/EN10084

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
40	6	12,560	4062768142596	80	6	50,420	4062768142671
50	6	19,630	4062768142619	100	6	78,500	4062768142701
60	6	28,260	4062768142633				



VERGÜTUNGSSTAHL 42CRMO4+QT / 42CRMOS4+QT RUND
EN10060/EN10083

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
20	6	2,470	4062768144934	70	6	30,200	4062768145139
25	6	3,850	4062768144965	80	6	39,500	4062768145153
30	6	5,550	4062768145009	90	6	49,900	4062768145177
35	6	7,550	4062768145023	100	6	61,700	4062768145191
40	6	9,860	4062768145054	110	6	74,600	4062768145214
45	6	12,500	4062768145078	120	6	88,800	4062768145238
50	6	15,400	4062768145092	130	6	104,000	4062768145252
55	6	18,700	4062768145108	140	6	121,000	4062768145269
60	6	22,200	4062768145115				

