



■ ANSCHLAGROHR S235JR


Profil	Profil	kg/mtr	GTIN
RP 103	34	3,390	4062768091160
RP 104	34	3,090	4062768091177
RP 105	34	2,920	4062768091184
RP 106	34	2,460	4062768091191
RP 111	34	3,390	4062768091207
RP 112	34	3,500	4062768091214
RP 113	34	3,500	4062768091221
RP 114	34	3,200	4062768091238
RP 133	34	2,570	4062768091276
RP 138	34	3,020	4062768091283
RP 139	34	2,920	4062768091290
RP 140	34	3,020	4062768091306
RP 141	34	2,870	4062768091313
RP 142	34	2,890	4062768091320
RP 143	34	2,450	4062768091337
RP 144	34	1,990	4062768091344
RP 150	34	3,550	4062768091351
RP 169	34	2,490	4062768091375
RP 1050	34	3,080	4062768091481
RP 1092	34	4,500	4062768091535
RP 1191	34	2,930	4062768091627




RP 103




RP 104




RP 105




RP 106




RP 111




RP 112




RP 113




RP 114




RP 133




RP 138




RP 139




RP 140




RP 141




RP 142




RP 143




RP 144




RP 150




RP 169



RP 1050




RP 1092




RP 1191

ANSCHLAGROHR S235JR


Profil	Profil	kg/mtr	GTIN
RP 116	40	4,060	4062768091245
RP 152	40	3,270	4062768091368
RP 185	40	2,640	4062768091382
RP 1008	40	2,810	4062768091467
RP 1049	40	3,430	4062768091474
RP 1087	40	3,750	4062768091528
RP 1093	40	4,370	4062768091542
RP 1094	40	4,370	4062768091559
RP 1114	40	2,180	4062768091580
RP 1162	40	3,270	4062768091597
RP 1348	40	3,910	4062768091658
RP 1628	40	3,390	4062768091801
RP 1639	40	3,690	4062768091818
RP 1640	40	3,070	4062768091825
RP 1672	40	2,400	4062768091832
RP 1673	40	3,240	4062768091849
RP 1679	40	3,900	4062768091894
RP 1680	40	3,680	4062768091900
RP 1683	40	2,960	4062768091931
RP 1684	40	3,580	4062768091948
RP 1685	40	3,580	4062768091955
RP 1690	40	4,520	4062768091986
RP 1692	40	2,330	4062768091993
RP 1693	40	2,950	4062768092006
RP 1695	40	3,560	4062768092013
RP 1698	40	3,580	4062768092020




RP 116




RP 152




RP 185




RP 1008




RP 1049




RP 1087




RP 1093




RP 1094




RP 1114



RP 1162




RP 1348




RP 1628


ANSCHLAGROHRE




RP 1639




RP 1640




RP 1672




RP 1673




RP 1679




RP 1680




RP 1683




RP 1684




RP 1685




RP 1690




RP 1692



RP 1693




RP 1695




RP 1698

■ ANSCHLAGROHR S235JR


Profil	Profil	kg/mtr	GTIN
RP 193	50	3,270	4062768091399
RP 195	50	3,270	4062768091405
RP 197	50	2,650	4062768091412
RP 1070	50	3,890	4062768091498
RP 1071	50	3,890	4062768091504
RP 1072	50	3,280	4062768091511
RP 1681	50	3,990	4062768091917
RP 1682	50	3,990	4062768091924
RP 1688	50	4,850	4062768091962
RP 1689	50	5,460	4062768091979
RP 1810	50	2,750	4062768092440
RP 1811	50	4,210	4062768092457
RP 1812	50	3,880	4062768093171




RP 193




RP 195




RP 197




RP 1070




RP 1071




RP 1072




RP 1681




RP 1682




RP 1688




RP 1689



RP 1810



RP 1811




RP 1812

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ ANSCHLAGROHR S235JR


Profil	Profil	kg/mtr	GTIN
RP 1592	60	3,950	4062768091665
RP 1594	60	4,210	4062768091689
RP 1596	60	4,210	4062768091702
RP 1645	60	3,400	4062768092891
RP 1646	60	4,520	4062768092976
RP 1647	60	2,960	4062768093065



RP 1592

RP 1594

RP 1596




RP 1645

RP 1646

RP 1647

■ ANSCHLAGROHR S235JR

Profil	Profil	kg/mtr	GTIN
RP 1593	80	6,010	4062768091672
RP 1595	80	6,780	4062768091696
RP 1597	80	6,760	4062768091719




RP 1593

RP 1595

RP 1597

■ ANSCHLAGROHR S235JR


Profil	Profil	kg/mtr	GTIN
RP 202	S	1,400	4062768091429



RP 1597

■ ANSCHLAGROHR S235JR


Profil	Profil	kg/mtr	GTIN
RP 1227	Hermetic 40	2,640	4062768091887
RP 1229	Hermetic 40	3,400	4062768092372
RP 1230	Hermetic 40	3,490	4062768092433
RP 1231	Hermetic 40	4,290	4062768092426
RP 1232	Hermetic 40	4,290	4062768092389



RP 1227

RP 1229

RP 1232




RP 1230

RP 1231


GLASHALTELEISTE AUS ALUMINIUM

Profil	kg/mtr	GTIN
403021	0,230	4062768092075
403031	0,160	4062768092082
403610	0,210	4062768092112
403620	0,280	4062768092341
403630	0,359	4062768092129
403670	0,187	4062768092068
403120	0,260	4062768092990




GLASHALTELEISTE AUS BANDVERZINKTEM STAHL

Profil	kg/mtr	GTIN
400180	0,580	4062768092358
400230	0,680	4062768092860
400280	0,770	4062768092488




KLEMMSCHRAUBE

Profil	GTIN
604100	4062768092136
604200	4062768092303
640500	4062768092297



DICHTUNGSPROFIL EPDM VERGLASUNGSDICHTUNG

Profil	VPE	GTIN
300500	100 mtr.	4062768092136
930166	100 mtr.	4062768092167
930116	100 mtr.	4062768092181
300651	100 mtr.	4062768092143
930106	100 mtr.	4062768092174
930126	100 mtr.	4062768092198
304651	100 mtr.	4062768092150




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ U-BAUSTAHL S235JR (FAHRZEUGBAU)

EN10162/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	30	3	6	1,870	4062768101302
33	33	3	6	1,950	4062768101319
36	36	3	6	2,400	4062768101326
40	20	3	6	1,670	4062768101340
40	25	3	6	1,880	4062768101357
40	35	4	6	3,020	4062768101364
40	40	2	6	1,820	4062768101913
40	40	3	6	2,470	4062768101371
40	40	4	6	3,550	4062768101388
45	35	5	6	4,000	4062768101395
46	45	3	6	2,950	4062768101401
50	25	3	6	2,120	4062768101418
50	30	3	6	2,350	4062768101432
50	40	4	6	3,670	4062768101456
50	50	4	6	4,380	4062768101463
54	45	4	6	4,110	4062768101487
60	30	3	6	2,590	4062768101494
60	40	4	6	3,960	4062768101517
60	60	3	6	4,007	4062768101920
62	45	4	6	4,360	4062768101524

mm	mm	mm	Länge mtr	kg/mtr	GTIN
65	50	5	6	5,830	4062768101548
70	50	4	6	4,930	4062768101555
80	40	3	6	3,540	4062768101562
80	50	4	6	5,320	4062768101609
80	50	5	6	6,420	4062768101616
80	70	5	6	7,990	4062768101647
90	50	5	6	6,810	4062768101654
100	50	4	6	5,870	4062768101685
100	50	5	6	7,220	4062768101692
100	50	6	6	8,500	4062768101708
100	60	5	6	8,240	4062768101715
100	70	6	6	10,300	4062768101722
108	55	5	6	7,810	4062768101739
120	50	4	6	6,510	4062768101746
120	60	6	6	10,400	4062768101777
140	60	5	6	9,460	4062768101791
140	60	6	6	11,300	4062768101807
160	65	6	6	12,750	4062768101845
200	80	6	6	16,000	4062768101876
160	60	4	12	8,640	4062768101838





■ U-BAUSTAHL S235JR VERZINKT (FAHRZEUGBAU)

EN10162/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	30	3	6	1,990	4062768102002
33	33	3	6	2,380	4062768102019
36	36	3	6	2,490	4062768102026
40	20	3	6	1,740	4062768102033
40	35	4	6	3,210	4062768102040
40	40	3	6	2,600	4062768102057
46	45	3	6	3,130	4062768102064
50	25	3	6	2,310	4062768102071
50	30	3	6	2,470	4062768102088
50	40	4	6	3,817	4062768102095
50	50	4	6	4,600	4062768102231
54	45	4	6	4,275	4062768102101

mm	mm	mm	Länge mtr	kg/mtr	GTIN
60	30	3	6	2,720	4062768102118
60	40	4	6	4,120	4062768102125
62	45	4	6	4,760	4062768102132
65	50	5	6	6,122	4062768102149
70	50	4	6	5,128	4062768102156
80	50	5	6	6,677	4062768102163
90	50	5	6	7,014	4062768102170
100	50	5	6	7,509	4062768102187
120	60	6	6	10,712	4062768102194
140	60	6	6	11,639	4062768102200
160	65	6	6	13,133	4062768102217
200	80	6	6	16,480	4062768102224






■ U-BORDWANDPROFIL S235JR SCHWARZ

EN10162/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	20	1,5	6	0,670	4062768101104
23	23	1,5	6	0,770	4062768101128
25	25	1,5	6	0,830	4062768101135

mm	mm	mm	Länge mtr	kg/mtr	GTIN
28	28	1,5	6	0,940	4062768101159
30	30	1,5	6	1,010	4062768101166
30	30	2	6	1,340	4062768101173




■ U-BORDWANDPROFIL S235JR VERZINKT

EN10162/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	20	1,5	6	0,670	4062768101012
23	23	1,5	6	0,770	4062768101036
25	25	1,5	6	0,830	4062768101043


mm	mm	mm	Länge mtr	kg/mtr	GTIN
28	28	1,5	6	0,940	4062768101067
30	30	1,5	6	1,010	4062768101074
30	30	2	6	1,340	4062768101081



■ TRENNWAND-MARKISENPROFIL S235JR

EN10162/EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	30	10	2	6	1,580	4062768100893
40	40	10	2	6	2,052	4062768100916



■ C-PROFIL S235JR (LEICHTBAU)


EN10162/EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	40	12	3	6	2,830	4062768101272
80	40	15	3	6	4,190	4062768101197
100	40	15	3	6	4,660	4062768101203
120	40	15	3	6	5,130	4062768101210

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
140	40	15	3	6	5,600	4062768101227
160	40	15	3	6	6,080	4062768101234
180	40	15	3	6	6,550	4062768101241
200	40	15	3	6	7,020	4062768101258


BRÜCKENGELÄNDERHANDLAUF S235JR UNTERGURT EN10162/EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
80	50	16	40	6	5,770	4062768102392
80	50	16	40	10	5,770	4062768102422
80	50	16	40	12	5,770	4062768102439




BRÜCKENGELÄNDERHANDLAUF S235JR OBERGURT EN10162/EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
120	25	20	4	6	5,780	4062768102385
120	25	20	4	10	5,780	4062768102408
120	25	20	4	12	5,780	4062768102415




BRÜCKENHANDLAUF S235JR EINTEILIG EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
80	64	45	4	12	7,000	4062768102453
120	55	65	4	12	100,000	4062768102446




WINKELSTAHL S235JR SCHARFKANTIG GLEICHSCHENKLIG EN10025


mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
10	10	2	6	0,280	4062768098824	35	35	3	6	1,580	4062768098947
15	15	2	6	0,490	4062768098831	35	35	4	6	2,070	4062768098954
15	15	3	6	0,620	4062768098848	40	40	3	6	1,810	4062768098961
20	20	2	6	0,590	4062768098855	40	40	4	6	2,390	4062768098978
20	20	3	6	0,860	4062768098862	40	40	5	6	2,910	4062768098985
25	25	2	6	0,750	4062768098886	50	50	3	6	2,250	4062768099012
25	25	3	6	1,120	4062768098893	50	50	4	6	3,010	4062768099029
25	25	4	6	1,430	4062768098909	50	50	5	6	3,730	4062768099036
30	30	2	6	1,080	4062768098916	60	60	3	6	2,810	4062768099043
30	30	3	6	1,320	4062768098923	60	60	5	6	4,430	4062768099067



WINKELSTAHL S235JR SCHARFKANTIG UNGLEICHSCHENKLIG EN10025


mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	10	2	6	0,450	4062768099081	40	25	3	6	1,500	4062768099203
20	10	3	6	0,640	4062768099098	40	25	4	6	1,750	4062768099210
20	14	3	6	0,730	4062768099104	40	30	4	6	2,080	4062768099234
25	15	3	6	0,870	4062768099111	50	25	3	6	1,710	4062768099272
30	16	3	6	1,020	4062768099128	50	30	4	6	2,430	4062768099296
30	20	3	6	1,110	4062768099142	60	30	3	6	2,050	4062768099340
30	20	4	6	1,430	4062768099159	60	30	4	6	2,700	4062768099357
40	20	3	6	1,340	4062768099180	60	40	4	6	3,020	4062768099364
40	20	4	6	1,770	4062768099197	80	40	4	6	3,650	4062768099388






WINKELHNLICHER STAHL S235JR EN10025

mm	mm	mm	mm	Lnge mtr	kg/mtr	GTIN
53	16	10	8	6	4,000	4062768099418




BODENBELAGSWINKEL S235JR EN10025

mm	mm	mm	mm	mm	Lnge mtr	kg/mtr	GTIN
16	24	40	10	5	6	3,300	4062768099449
20	30	50	10	5	6	4,120	4062768099456
20	30	50	12	7	6	4,480	4062768099463
20	30	50	14	7	6	5,500	4062768099470
20	30	50	17	10	6	5,700	4062768099487



ROLLADEN-U-STAHl S235JR SCHARFKANTIG EN10025

mm	mm	mm	Lnge mtr	kg/mtr	GTIN	mm	mm	mm	Lnge mtr	kg/mtr	GTIN
12	12,5	2	6	0,520	4062768100145	28	40	2,75	6	2,230	4062768100237
12	20	1,5	6	0,540	4062768100152	30	30	2	6	1,350	4062768100244
15	15	1,5	6	0,490	4062768100169	30	30	2,5	6	1,670	4062768100251
15	20	1,5	6	0,600	4062768100176	30	30	3	6	1,850	4062768100268
20	20	2	6	0,880	4062768100183	33	50	3,75	6	3,750	4062768100282
20	20	2,5	6	1,080	4062768100190	36	36	3	6	2,400	4062768100299
25	25	2	6	1,120	4062768100206	40	40	3	6	2,690	4062768100312
25	25	2,5	6	1,380	4062768100213	50	50	4	6	4,460	4062768100336
25	25	4	6	2,100	4062768100220	60	55	5	6	6,290	4062768100343




U-STAHl S235JR SCHARFKANTIG EN10025

mm	mm	mm	Lnge mtr	kg/mtr	GTIN	mm	mm	mm	Lnge mtr	kg/mtr	GTIN
20	15	2,5	6	0,900	4062768099968	50	25	3	6	2,220	4062768099883
24	15	2	6	0,790	4062768099838	50	30	3,25	6	2,650	4062768100022
30	15	3	6	1,280	4062768099845	50	30	4	6	3,210	4062768099890
30	20	4	6	1,980	4062768099982	60	30	3	6	2,720	4062768099906
36	24	3	6	1,850	4062768099869	60	30	4	6	3,550	4062768099913
40	24	3,25	6	2,080	4062768100008	60	38	4	6	4,050	4062768099920
45	27	3,25	6	2,380	4062768100015	80	25	3,5	6	3,400	4062768100077


■ WELLENGITTER-U-STAHL S235JR EN10162/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
10	30	2	6	0,980	4062768100121




■ GITTER-U-STAHL S235JR HESPENSTAHL EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
25	8	4	5,5	6	1,140	4062768102521
30	8	4	5,5	6	1,240	4062768102538
40	13	5	7	6	2,250	4062768102545




■ T-STAHL S235JR SCHARFKANTIG EN10025


mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	20	3	6	1,360	4062768099623



■ T-STAHL S235JR BREITFÜSSIG EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	20	4,5	6	2,000	4062768099654	80	40	7	12	6,210	4062768099708
50	25	5	6	2,800	4062768099661	100	50	8,5	6	9,420	4062768099715
60	30	5,5	6	3,640	4062768099678	100	50	8,5	12	9,420	4062768099722
70	35	6	6	4,750	4062768099685	120	60	10	6	13,400	4062768099739
80	40	7	6	6,210	4062768099692	120	60	10	12	13,400	4062768099746






Z-STAHLS S235JR SCHARFKANTIG EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
9	20	13	3	6	0,840	4062768100602
16	25	25	3,5	6	1,620	4062768100619
30	16	13	4	6	1,600	4062768100503
30	35	17	4	6	2,320	4062768100626


mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	35	25	3	6	2,220	4062768100558
40	35	25	4	6	2,900	4062768100565
48	50	25	4	6	3,650	4062768100398



Z-STAHLS S235JR RUNDKANTIG DIN 1027/EN10025


mm	mm	mm	mm	Länge mtr	kg/ mtr	GTIN
25	16	16	3,5	6	1,200	4062768100367
30	38	38	4,5	6	3,390	4062768100374
40	40	40	5	6	4,250	4062768100381
50	43	43	5,5	6	5,300	4062768100404
60	45	45	6	6	6,200	4062768100428

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
80	50	50	7	6	8,700	4062768100435
100	55	55	8	6	11,400	4062768100442
120	60	60	9	6	14,300	4062768100459
140	65	65	10	6	18,000	4062768100473
160	70	70	11	6	21,600	4062768100480



HANDLEISTENSTAHL S235JR EN10025


mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	18	8	6	3,300	4062768100664
50	22,5	10	6	5,300	4062768100671



HALBRUNDSTAHL S235JR EN10025

mm	mm	Länge mtr	kg/mtr	GTIN
16	8	6	0,790	4062768100695
20	10	6	1,220	4062768100701
30	15	6	2,750	4062768100725
40	20	6	4,920	4062768100749

mm	mm	Länge mtr	kg/mtr	GTIN
50	25	6	7,650	4062768100763
60	30	6	11,000	4062768100787
75	37,5	6	17,300	4062768100794




FLACHHALBRUNDSTAHL S235JR EN10025

mm	mm	Länge mtr	kg/mtr	GTIN
30	10	6	1,730	4062768100718
40	10	6	2,220	4062768100732
50	13	6	3,600	4062768100756

■ FLACHOVALSTAHL S235JR EN10025


mm	mm	Länge mtr	kg/mtr	GTIN
20	10	6	1,390	4062768102491
24	11	6	1,960	4062768102460
25	8	6	1,450	4062768102507

mm	mm	Länge mtr	kg/mtr	GTIN
30	10	6	2,170	4062768102484
32	18	6	3,950	4062768102514
40	10	6	2,950	4062768102477




■ SCHEUERLEISTENPROFIL S235JR EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
50	40	30	2	6	1,860	4062768100930
70	50	35	2,5	6	3,000	4062768100923




■ KIPPER-Z-PROFIL S235JR EN10025

mm	mm	mm	mm	Länge mtr	kg/mtr	GTIN
40	31	45,5	3	6	2,830	4062768100961
45	34	62	4	6	4,460	4062768100954



■ TREPPENSCHUTZSCHIENE S235JR

mm	Länge mtr	kg/mtr	GTIN
35	6	1,750	4062768102279





WELLENGITTER ROH


Maschenweite mm	Format mm	GTIN
30 x 30 x 3	2000 x 5000	4062768146303
40 x 40 x 3,8	2000 x 3000	4062768146310
40 x 40 x 3,8	2000 x 5000	4062768146327
50 x 50 x 5	2000 x 3000	4062768146365
50 x 50 x 5	2000 x 5000	4062768146334



WELLENGITTER VERZINKT

Maschenweite mm	Format mm	GTIN
10 x 10 x 1,8	1000 x 2000	4062768146396
15 x 15 x 2,5	1000 x 2000	4062768146402
20 x 20 x 2,5	1000 x 2000	4062768146419
25 x 25 x 2,5	1000 x 2000	4062768146426
30 x 30 x 3	2000 x 5000	4062768146433


Maschenweite mm	Format mm	GTIN
40 x 40 x 3,8	1000 x 2000	4062768146440
40 x 40 x 3,8	2000 x 3000	4062768146457
40 x 40 x 3,8	2000 x 5000	4062768146464
50 x 50 x 5	2000 x 5000	4062768146471



SCHWEISSGITTER ROH


Maschenweite mm	Format mm	GTIN
40 x 40 x 4	2000 x 3000	4062768146549
40 x 40 x 4	2000 x 5000	4062768146556
50 x 50 x 4	2000 x 3000	4062768146563

Maschenweite mm	Format mm	GTIN
50 x 50 x 4	2000 x 5000	4062768146570
50 x 50 x 5	2000 x 3000	4062768146587
50 x 50 x 5	2000 x 5000	4062768146594




SCHLOSSERMATTE ROH

Maschenweite mm	Format mm	GTIN
100 x 100 x 5	2150 x 5000	4062768146730



SCHLOSSERMATTE VERZINKT

Maschenweite mm	Format mm	GTIN
100 x 100 x 5	2150 x 5000	4062768146747



BAUSTAHLMATTE NICHT STATISCH

Maschenweite mm	Format mm	GTIN
50 x 50 x 3	2150 x 5000	4062768146778