


## FLACHSTAHL S235JR

EN10058/EN10025




mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
10	5	6	0,393	4062768005020	40	30	6	9,420	4062768005563
10	6	6	0,472	4062768007253	45	5	6	1,770	4062768005570
12	5	6	0,471	4062768005037	45	6	6	2,120	4062768005587
12	6	6	0,565	4062768005044	45	8	6	2,830	4062768005594
12	8	6	0,754	4062768005051	45	10	6	3,530	4062768005600
14	5	6	0,550	4062768015067	45	12	6	4,240	4062768005617
14	6	6	0,660	4062768015050	45	15	6	5,300	4062768005624
14	8	6	0,880	4062768015074	45	20	6	7,070	4062768005631
15	5	6	0,589	4062768005068	45	25	6	8,830	4062768005648
15	6	6	0,707	4062768005075	45	30	6	10,600	4062768005655
15	8	6	0,942	4062768005082	50	5	6	1,960	4062768005662
15	10	6	1,180	4062768005099	50	6	6	2,360	4062768005679
16	5	6	0,628	4062768005105	50	8	6	3,140	4062768005686
16	6	6	0,754	4062768005112	50	10	6	3,930	4062768005693
16	8	6	1,000	4062768005129	50	12	6	4,710	4062768005709
16	10	6	1,260	4062768005136	50	15	6	5,890	4062768005716
18	5	6	0,710	4062768005143	50	20	6	7,850	4062768005723
18	6	6	0,848	4062768005150	50	25	6	9,810	4062768005730
18	8	6	1,130	4062768005167	50	30	6	11,800	4062768005747
20	5	6	0,785	4062768005198	50	40	6	15,700	4062768005754
20	6	6	0,942	4062768005204	55	5	6	2,160	4062768005761
20	8	6	1,260	4062768005211	55	6	6	2,590	4062768005778
20	10	6	1,570	4062768005228	55	8	6	3,450	4062768005785
20	12	6	1,880	4062768005235	55	10	6	4,320	4062768005792
20	15	6	2,360	4062768005242	55	12	6	5,180	4062768005808
25	5	6	0,981	4062768005259	55	15	6	6,480	4062768005815
25	6	6	1,180	4062768005266	55	20	6	8,640	4062768005822
25	8	6	1,570	4062768005273	55	25	6	10,800	4062768005839
25	10	6	1,960	4062768005280	60	5	6	2,360	4062768005853
25	12	6	2,360	4062768005297	60	6	6	2,830	4062768005860
25	15	6	2,940	4062768005303	60	8	6	3,770	4062768005877
25	20	6	3,930	4062768005310	60	10	6	4,710	4062768005884
30	5	6	1,180	4062768005327	60	12	6	5,650	4062768005891
30	6	6	1,410	4062768005334	60	15	6	7,070	4062768005907
30	8	6	1,880	4062768005341	60	20	6	9,420	4062768005914
30	10	6	2,360	4062768005358	60	25	6	11,800	4062768005921
30	12	6	2,830	4062768005365	60	30	6	14,100	4062768005938
30	15	6	3,530	4062768005372	60	35	6	16,500	4062768005945
30	20	6	4,710	4062768005389	60	40	6	18,800	4062768005952
30	25	6	5,890	4062768005396	60	50	6	23,600	4062768005969
35	5	6	1,370	4062768005402	65	5	6	2,550	4062768005976
35	6	6	1,650	4062768005419	65	6	6	3,060	4062768005983
35	8	6	2,200	4062768005426	65	8	6	4,080	4062768005990
35	10	6	2,750	4062768005433	65	10	6	5,100	4062768006003
35	12	6	3,300	4062768005440	65	12	6	6,120	4062768006010
35	15	6	4,120	4062768005457	65	15	6	7,650	4062768006027
35	20	6	5,500	4062768005464	65	20	6	10,200	4062768006034
35	25	6	6,870	4062768005471	65	25	6	12,800	4062768006041
40	5	6	1,570	4062768005488	70	5	6	2,750	4062768006072
40	6	6	1,880	4062768005495	70	6	6	3,300	4062768006089
40	8	6	2,510	4062768005501	70	8	6	4,400	4062768006096
40	10	6	3,140	4062768005518	70	10	6	5,500	4062768006102
40	12	6	3,770	4062768005525	70	12	6	6,590	4062768006119
40	15	6	4,710	4062768005532	70	15	6	8,240	4062768006126
40	20	6	6,280	4062768005549	70	20	6	11,000	4062768006133
40	25	6	7,850	4062768005556	70	25	6	13,700	4062768006140



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


**FLACHSTAHL S235JR**  
EN10058/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
70	30	6	16,500	4062768006157	110	10	6	8,640	4062768006683
70	35	6	19,200	4062768006164	110	12	6	10,400	4062768006690
70	40	6	22,000	4062768006171	110	15	6	13,000	4062768006706
70	50	6	27,500	4062768006188	110	20	6	17,300	4062768006713
75	5	6	2,940	4062768006195	110	25	6	21,600	4062768006720
75	6	6	3,530	4062768006201	110	30	6	25,910	4062768006737
75	8	6	4,710	4062768006218	110	40	6	34,500	4062768006744
75	10	6	5,890	4062768006225	110	50	6	43,200	4062768006751
75	12	6	7,070	4062768006232	110	60	6	51,800	4062768007215
75	15	6	8,830	4062768006249	120	8	6	7,540	4062768006768
75	20	6	11,800	4062768006256	120	10	6	9,420	4062768006775
75	25	6	14,700	4062768006263	120	12	6	11,300	4062768006782
80	5	6	3,140	4062768006287	120	15	6	14,100	4062768006799
80	6	6	3,770	4062768006294	120	20	6	18,800	4062768006805
80	8	6	5,020	4062768006300	120	25	6	23,600	4062768006812
80	10	6	6,280	4062768006317	120	30	6	28,300	4062768006829
80	12	6	7,540	4062768006324	120	40	6	37,700	4062768006836
80	15	6	9,420	4062768006331	120	50	6	47,100	4062768006843
80	20	6	12,600	4062768006348	120	60	6	56,500	4062768006850
80	25	6	15,700	4062768006355	130	8	6	8,160	4062768006867
80	30	6	18,800	4062768006362	130	10	6	10,200	4062768006874
80	35	6	22,000	4062768006379	130	12	6	12,200	4062768006881
80	40	6	25,120	4062768006386	130	15	6	15,300	4062768006898
80	50	6	31,400	4062768006393	130	20	6	20,400	4062768006904
80	60	6	37,700	4062768006409	130	25	6	25,500	4062768006911
90	5	6	3,530	4062768006416	130	30	6	30,600	4062768006928
90	6	6	4,240	4062768006423	130	40	6	40,800	4062768006935
90	8	6	5,650	4062768006430	130	50	6	51,000	4062768006942
90	10	6	7,070	4062768006447	130	60	6	61,250	4062768007246
90	12	6	8,480	4062768006454	140	8	6	8,790	4062768006959
90	15	6	10,600	4062768006461	140	10	6	11,000	4062768006966
90	20	6	14,100	4062768006478	140	12	6	13,200	4062768006973
90	25	6	17,700	4062768006485	140	15	6	16,500	4062768006980
90	30	6	21,200	4062768006492	140	20	6	22,000	4062768006997
90	40	6	28,300	4062768006515	140	25	6	27,500	4062768007000
90	50	6	35,300	4062768006522	140	30	6	33,000	4062768007017
90	60	6	42,400	4062768006539	140	40	6	44,000	4062768007024
100	5	6	3,930	4062768006546	140	50	6	55,000	4062768007031
100	6	6	4,710	4062768006553	140	60	6	65,950	4062768007239
100	8	6	6,280	4062768006560	150	5	6	5,888	4062768015012
100	10	6	7,850	4062768006577	150	8	6	9,420	4062768007048
100	12	6	9,420	4062768006584	150	10	6	11,800	4062768007055
100	15	6	11,800	4062768006591	150	12	6	14,100	4062768007062
100	20	6	15,700	4062768006607	150	15	6	17,660	4062768007079
100	25	6	19,600	4062768006614	150	20	6	23,600	4062768007086
100	30	6	23,600	4062768006621	150	25	6	29,400	4062768007093
100	35	6	27,500	4062768006638	150	30	6	35,300	4062768007109
100	40	6	31,400	4062768006645	150	40	6	47,100	4062768007130
100	50	6	39,300	4062768006652	150	50	6	58,900	4062768007116
100	60	6	47,100	4062768006669	150	60	6	70,700	4062768007123
110	8	6	6,910	4062768006676					



## BREITFLACHSTAHL S235JR

DIN 59200/EN10025



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
160	5	6	6,400	4062768011663	210	25	6	42,000	4062768012400
160	6	6	7,680	4062768011670	220	5	6	8,800	4062768012431
160	8	6	10,200	4062768011687	220	6	6	10,600	4062768012448
160	10	6	12,800	4062768011694	220	8	6	14,100	4062768012455
160	12	6	15,400	4062768011700	220	10	6	17,600	4062768012462
160	15	6	19,200	4062768011717	220	12	6	21,100	4062768012479
160	20	6	25,600	4062768011724	220	15	6	26,400	4062768012486
160	25	6	31,400	4062768011731	220	20	6	35,200	4062768012493
160	30	6	38,400	4062768011748	220	25	6	44,000	4062768012509
160	35	6	44,800	4062768014206	220	30	6	52,800	4062768012516
160	40	6	51,200	4062768011755	220	35	6	61,600	4062768012523
160	50	6	64,000	4062768011762	220	40	6	70,400	4062768012530
170	8	6	10,900	4062768011885	220	50	6	88,000	4062768012547
170	10	6	13,600	4062768011892	230	6	6	11,000	4062768012561
170	12	6	16,300	4062768011908	230	10	6	18,400	4062768012585
170	15	6	20,400	4062768011915	230	12	6	22,100	4062768012592
170	20	6	27,200	4062768011922	230	15	6	27,600	4062768012608
170	25	6	33,400	4062768011939	230	20	6	36,800	4062768012615
170	30	6	40,800	4062768011946	240	5	6	9,600	4062768012660
180	5	6	7,200	4062768011977	240	6	6	11,500	4062768012677
180	6	6	8,640	4062768011984	240	8	6	15,400	4062768012684
180	8	6	11,500	4062768011991	240	10	6	19,200	4062768012691
180	10	6	14,400	4062768012004	240	12	6	23,000	4062768012707
180	12	6	17,300	4062768012011	240	15	6	28,800	4062768012714
180	15	6	21,600	4062768012028	240	20	6	38,400	4062768012721
180	20	6	28,800	4062768012035	240	25	6	48,000	4062768012738
180	25	6	35,000	4062768012042	240	30	6	57,600	4062768012745
180	30	6	43,200	4062768012059	240	40	6	76,800	4062768012769
180	35	6	50,400	4062768012066	250	5	6	10,000	4062768012783
180	40	6	57,600	4062768012073	250	6	6	12,000	4062768012790
180	50	6	72,000	4062768012080	250	8	6	16,000	4062768012806
180	60	6	86,400	4062768012097	250	10	6	20,000	4062768012813
190	8	6	12,200	4062768012127	250	12	6	24,000	4062768012820
190	10	6	15,200	4062768012134	250	15	6	30,000	4062768012837
190	12	6	18,200	4062768012141	250	20	6	40,000	4062768012844
190	15	6	22,800	4062768012158	250	25	6	50,000	4062768012851
190	20	6	30,400	4062768012165	250	30	6	60,000	4062768012868
190	25	6	38,000	4062768012172	250	35	6	70,000	4062768012875
190	30	6	45,600	4062768012189	250	40	6	80,000	4062768012882
200	5	6	8,000	4062768012196	250	50	6	100,000	4062768012899
200	6	6	9,600	4062768012202	260	8	6	16,400	4062768012936
200	8	6	12,800	4062768012226	260	10	6	20,500	4062768012943
200	10	6	16,000	4062768012233	260	12	6	24,490	4062768012950
200	12	6	19,200	4062768012240	260	15	6	31,200	4062768012967
200	15	6	24,000	4062768012257	260	20	6	40,800	4062768012974
200	20	6	32,000	4062768012264	260	25	6	52,000	4062768014190
200	25	6	39,000	4062768012271	260	30	6	62,400	4062768014183
200	30	6	48,000	4062768012288	270	10	6	21,600	4062768013001
200	35	6	56,000	4062768012295	270	12	6	25,900	4062768013018
200	40	6	64,000	4062768012301	270	15	6	32,400	4062768013025
200	50	6	80,000	4062768012318	270	20	6	43,200	4062768013032
200	60	6	96,000	4062768012325	280	6	6	13,400	4062768013070
210	8	6	13,400	4062768012356	280	8	6	17,900	4062768013087
210	10	6	16,800	4062768012363	280	10	6	22,400	4062768013094
210	12	6	20,200	4062768012370	280	12	6	26,900	4062768013100
210	15	6	25,200	4062768012387	280	15	6	33,600	4062768013117
210	20	6	33,600	4062768012394	280	20	6	44,800	4062768013124


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



**BREITFLACHSTAHL S235JR**


DIN 59200/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
280	25	6	56,000	4062768013131	360	10	6	28,800	4062768013698
280	30	6	67,200	4062768013148	360	15	6	43,200	4062768013711
280	40	6	89,600	4062768013155	360	20	6	57,600	4062768013728
300	5	6	12,000	4062768013179	360	25	6	72,000	4062768013735
300	6	6	14,400	4062768013186	380	10	6	30,400	4062768013766
300	8	6	19,200	4062768013193	380	12	6	36,500	4062768013773
300	10	6	24,000	4062768013209	380	15	6	45,600	4062768013780
300	12	6	28,800	4062768013216	380	20	6	60,800	4062768013797
300	15	6	36,000	4062768013223	400	5	6	16,000	4062768013834
300	20	6	48,000	4062768013230	400	6	6	19,200	4062768013841
300	25	6	60,000	4062768013247	400	8	6	25,600	4062768013858
300	30	6	72,000	4062768013254	400	10	6	32,000	4062768013865
300	35	6	84,000	4062768013261	400	12	6	38,400	4062768013872
300	40	6	96,000	4062768013278	400	15	6	48,000	4062768013889
300	50	6	120,000	4062768013285	400	20	6	64,000	4062768013896
320	8	6	20,500	4062768013346	400	25	6	80,000	4062768013902
320	10	6	25,600	4062768013353	400	30	6	96,000	4062768013919
320	12	6	30,700	4062768013360	400	40	6	128,000	4062768013926
320	15	6	38,400	4062768013377	450	8	6	28,800	4062768013964
320	20	6	51,200	4062768013384	450	10	6	36,000	4062768013971
320	25	6	64,000	4062768013391	450	12	6	43,200	4062768013988
320	30	6	76,800	4062768013407	450	15	6	54,000	4062768013995
340	10	6	27,200	4062768013490	450	20	6	72,000	4062768014008
340	15	6	40,800	4062768013513	450	25	6	90,000	4062768014015
340	20	6	54,400	4062768013520	500	6	6	24,000	4062768014053
350	5	6	14,000	4062768014329	500	8	6	32,000	4062768014060
350	6	6	16,800	4062768013575	500	10	6	40,000	4062768014077
350	8	6	22,400	4062768013582	500	12	6	48,000	4062768014084
350	10	6	28,000	4062768013599	500	15	6	60,000	4062768014091
350	12	6	33,600	4062768013605	500	20	6	80,000	4062768014107
350	15	6	42,000	4062768013612	500	25	6	100,000	4062768014114
350	20	6	56,000	4062768013629	500	30	6	120,000	4062768014121
350	25	6	70,000	4062768013636	600	10	6	48,000	4062768014213
350	30	6	84,000	4062768013643	600	15	6	72,000	4062768014220
350	40	6	112,000	4062768013650	600	20	6	96,000	4062768014237



## FLACHSTAHL (BANDSTAHL) S235JR


EN10058/EN10025



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
10	3	6	0,236	4062768014350	50	2	4	0,785	4062768015043
10	4	6	0,314	4062768014367	50	3	6	1,180	4062768014688
12	3	6	0,283	4062768014381	50	4	6	1,570	4062768014695
12	4	6	0,377	4062768014398	60	3	6	1,410	4062768014732
14	3	6	0,330	4062768014404	60	4	6	1,880	4062768014749
15	3	6	0,353	4062768014428	70	3	6	1,650	4062768014756
15	4	6	0,471	4062768014435	70	4	6	2,200	4062768014763
16	3	6	0,377	4062768014459	80	3	6	1,880	4062768014770
16	4	6	0,502	4062768014466	80	4	6	2,510	4062768014787
18	3	6	0,425	4062768014473	90	3	6	2,120	4062768014794
18	4	6	0,565	4062768014480	90	4	6	2,820	4062768014800
20	2	4	0,314	4062768014503	100	3	6	2,350	4062768014817
20	3	6	0,471	4062768014510	100	4	6	3,140	4062768014824
20	4	6	0,628	4062768014527	110	5	6	4,320	4062768014855
25	2	4	0,393	4062768014541	110	6	6	5,180	4062768014862
25	3	6	0,589	4062768014558	120	3	6	2,820	4062768014879
25	4	6	0,785	4062768014565	120	4	6	3,760	4062768014886
30	2	4	0,471	4062768014589	120	5	6	4,710	4062768014893
30	3	6	0,707	4062768014596	120	6	6	5,650	4062768014909
30	4	6	0,942	4062768014602	130	5	6	5,100	4062768014930
35	3	6	0,824	4062768014619	130	6	6	6,123	4062768014947
35	4	6	1,100	4062768014626	140	5	6	5,500	4062768014978
40	2	4	0,628	4062768014633	140	6	6	6,594	4062768014985
40	3	6	0,942	4062768014640	150	3	6	3,530	4062768014992
40	4	6	1,260	4062768014657	150	4	6	4,710	4062768015005
45	3	6	1,060	4062768014664	150	6	6	7,065	4062768015029
45	4	6	1,410	4062768014671	200	4	6	6,280	4062768015081

## RUNDSTAHL S235JR

EN10060/EN10025




mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6	6	0,222	4062768007307	36	6	7,990	4062768007529
8	6	0,395	4062768007321	40	6	9,860	4062768007543
10	6	0,617	4062768007345	42	6	10,900	4062768007550
12	6	0,888	4062768007352	45	6	12,500	4062768007567
14	6	1,210	4062768007376	48	6	14,200	4062768007574
15	6	1,390	4062768007383	50	6	15,400	4062768007581
16	6	1,580	4062768007390	55	6	18,700	4062768007598
18	6	2,000	4062768007406	60	6	22,200	4062768007604
20	6	2,470	4062768007420	65	6	26,000	4062768007611
22	6	2,980	4062768007437	70	6	30,200	4062768007628
24	6	3,550	4062768007444	80	6	39,500	4062768007642
25	6	3,850	4062768007451	85	6	44,500	4062768007659
26	6	4,170	4062768007468	90	6	49,900	4062768007666
27	6	4,490	4062768007475	95	6	55,600	4062768007673
28	6	4,830	4062768007482	100	6	61,700	4062768007680
30	6	5,550	4062768007499	110	6	74,600	4062768007703
32	6	6,310	4062768007505	120	6	88,800	4062768007727
35	6	7,550	4062768007512				

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

**VIERKANTSTAHL S235JR**  
EN10059/EN10025

mm	Länge mtr	kg/mtr	GTIN
6	6	0,283	4062768007826
8	6	0,502	4062768007833
10	6	0,785	4062768007840
12	6	1,130	4062768007857
13	6	1,330	4062768007864
14	6	1,540	4062768007871
15	6	1,770	4062768007888
16	6	2,010	4062768007895
18	6	2,540	4062768007901
20	6	3,140	4062768007918
22	6	3,800	4062768007925
24	6	4,520	4062768007932
25	6	4,910	4062768007949


mm	Länge mtr	kg/mtr	GTIN
30	6	7,070	4062768007987
35	6	9,620	4062768007994
40	6	12,600	4062768008014
45	6	15,900	4062768008021
50	6	19,600	4062768008038
60	6	28,300	4062768008052
65	6	33,200	4062768008069
70	6	38,500	4062768008076
80	6	50,200	4062768008090
90	6	63,600	4062768008106
100	6	78,500	4062768008113
120	12	113,000	4062768008137



**T-STAH L S235JR**  
EN10055/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
20	20	3	6	0,880	4062768008199
25	25	3.5	6	1,290	4062768008205
30	30	4	6	1,770	4062768008212
35	35	4.5	6	2,330	4062768008229
40	40	5	6	2,960	4062768008236
45	45	5.5	6	3,670	4062768008243
50	50	6	6	4,440	4062768008250
50	50	6	12	4,440	4062768008397
60	60	7	6	6,230	4062768008267
60	60	7	12	6,230	4062768008274
70	70	8	6	8,320	4062768008281


mm	mm	mm	Länge mtr	kg/mtr	GTIN
70	70	8	12	8,320	4062768008298
80	80	9	6	10,700	4062768008304
80	80	9	12	10,700	4062768008311
90	90	10	6	13,400	4062768008410
90	90	10	12	13,400	4062768008328
100	100	11	6	16,400	4062768008373
100	100	11	12	16,400	4062768008335
120	120	13	6	23,200	4062768008380
120	120	13	12	23,200	4062768008342
140	140	15	6	31,300	4062768008403
140	140	15	12	31,300	4062768008359



**U-STAH L S235JR**  
EN10279/EN10025


mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	15	4	6	1,790	4062768008427
30	33	5	6	4,400	4062768008434
35	17.5	4	6	2,160	4062768008441
40	20	5	6	2,960	4062768008465
40	35	5	6	5,020	4062768008458
50	25	5	6	3,980	4062768008502
50	38	5	6	5,760	4062768008472

mm	mm	mm	Länge mtr	kg/mtr	GTIN
50	38	5	12	5,760	4062768008588
60	30	6	6	5,220	4062768008519
60	30	6	12	5,220	4062768008595
65	42	5.5	6	7,300	4062768008526
65	42	5.5	12	7,300	4062768008533
70	40	6	6	6,720	4062768008540



## WINKELSTAHL S235JR GLEICHSCHENKLIG

### EN10056/EN10025




mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
15	3	6	0,640	4062768010819	90	6	12	8,320	4062768011137
20	3	6	0,880	4062768008687	90	7	12	9,610	4062768011212
20	4	6	1,140	4062768008694	90	9	6	12,200	4062768009271
25	3	6	1,120	4062768008717	90	9	12	12,200	4062768010697
25	4	6	1,450	4062768008724	90	11	6	14,700	4062768009288
25	5	6	1,770	4062768008731	90	11	12	14,700	4062768011328
30	3	6	1,360	4062768008748	100	6	6	9,410	4062768010727
30	3	12	1,360	4062768011342	100	6	12	9,410	4062768011106
30	4	6	1,780	4062768008755	100	8	6	12,200	4062768009301
30	5	6	2,180	4062768008762	100	8	12	12,200	4062768009318
35	3	6	1,600	4062768008779	100	10	6	15,100	4062768009325
35	4	6	2,100	4062768008786	100	10	12	15,100	4062768009332
35	5	6	2,570	4062768008793	100	10	15	15,100	4062768010918
35	6	6	3,040	4062768008809	100	12	6	17,800	4062768009349
40	3	6	1,840	4062768008816	100	12	12	17,800	4062768009356
40	4	6	2,420	4062768008823	100	14	12	20,600	4062768010758
40	4	12	2,420	4062768008830	110	10	6	16,600	4062768010871
40	5	6	2,970	4062768008847	110	10	12	16,600	4062768009387
40	6	6	3,520	4062768008854	120	8	6	14,700	4062768011267
45	4	6	2,740	4062768008861	120	8	12	14,700	4062768011304
45	5	6	3,380	4062768008878	120	10	6	18,200	4062768010765
45	6	6	4,000	4062768008885	120	10	12	18,200	4062768009417
50	4	6	3,060	4062768008908	120	11	12	19,900	4062768009424
50	5	6	3,770	4062768008915	120	12	6	21,600	4062768010772
50	5	12	3,770	4062768008922	120	12	12	21,600	4062768009431
50	6	6	4,470	4062768008939	120	13	12	23,300	4062768009448
50	7	6	5,150	4062768008946	120	15	6	26,600	4062768010826
50	8	6	5,820	4062768008960	120	15	12	26,600	4062768009455
50	9	6	6,470	4062768008977	130	12	6	23,600	4062768010963
55	6	6	4,950	4062768008991	130	12	12	23,600	4062768009462
60	5	6	4,570	4062768009011	140	13	12	27,500	4062768009493
60	6	6	5,420	4062768009028	140	15	12	31,400	4062768009509
60	6	12	5,420	4062768009035	150	10	6	22,770	4062768011250
60	8	6	7,090	4062768009042	150	10	12	22,770	4062768010802
60	8	12	7,090	4062768011243	150	12	6	27,300	4062768010789
60	10	6	8,690	4062768009059	150	12	12	27,300	4062768009516
65	6	6	5,910	4062768009066	150	14	12	31,600	4062768009523
65	7	6	6,830	4062768009073	150	15	6	33,800	4062768011403
65	9	6	8,620	4062768009097	150	15	12	33,800	4062768009530
70	6	6	6,380	4062768009103	160	15	6	36,200	4062768011083
70	7	6	7,380	4062768009110	160	15	12	36,200	4062768009578
70	7	12	7,380	4062768009127	160	17	12	40,700	4062768009585
70	9	6	9,340	4062768009134	180	16	6	43,500	4062768011427
70	9	12	9,340	4062768011199	180	16	12	43,500	4062768009608
75	7	6	7,940	4062768009158	180	18	12	48,600	4062768009615
75	8	6	9,030	4062768009165	200	16	6	48,500	4062768010956
80	6	6	7,340	4062768009196	200	16	12	48,500	4062768009639
80	6	12	7,340	4062768011113	200	18	12	54,300	4062768009646
80	8	6	9,660	4062768009219	200	20	6	59,900	4062768011335
80	8	12	9,660	4062768009226	200	20	12	59,900	4062768009653
80	8	15	9,660	4062768011410	200	24	12	71,100	4062768009660
80	10	6	11,900	4062768009233	250	18	12	68,400	4062768011359
80	10	12	11,900	4062768009240	250	20	12	75,700	4062768011144
80	12	6	14,100	4062768009257	250	24	12	90,000	4062768011366
80	12	12	14,100	4062768010888	250	28	12	104,000	4062768011182
90	6	6	8,320	4062768010796					

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




**WINKELSTAHL S235JR UNGLEICHSCHENKLIG**  
EN10056/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	20	3	6	1,110	4062768009691	90	60	6	12	6,820	4062768010574
30	20	4	6	1,450	4062768009707	90	60	8	6	8,960	4062768010024
40	20	3	6	1,350	4062768009714	90	60	8	12	8,960	4062768010581
40	20	4	6	1,770	4062768009721	100	50	6	6	6,850	4062768010031
40	25	4	6	1,930	4062768009738	100	50	6	12	6,850	4062768010567
45	30	4	6	2,250	4062768009752	100	50	8	6	8,990	4062768010048
45	30	5	6	2,770	4062768009769	100	50	8	12	8,990	4062768010598
50	30	4	6	2,410	4062768010895	100	50	10	6	11,100	4062768010055
50	30	5	6	2,960	4062768009776	100	50	10	12	11,100	4062768010062
50	40	4	6	2,710	4062768009783	100	65	7	6	8,770	4062768010079
50	40	5	6	3,350	4062768009790	100	65	7	12	8,770	4062768010604
60	30	5	6	3,370	4062768009806	100	65	9	6	11,100	4062768010086
60	30	6	6	3,980	4062768009813	100	65	9	12	11,100	4062768010093
60	30	7	6	4,590	4062768009820	100	65	11	6	13,400	4062768010109
60	40	5	6	3,760	4062768009837	100	65	11	12	13,400	4062768010611
60	40	5	12	3,760	4062768010833	100	75	7	6	9,320	4062768010116
60	40	6	6	4,460	4062768009844	100	75	7	12	9,320	4062768010628
60	40	6	12	4,460	4062768011274	100	75	9	6	11,800	4062768010123
60	40	7	6	5,140	4062768009851	100	75	9	12	11,800	4062768010635
65	50	5	6	4,350	4062768009868	100	75	11	12	14,300	4062768010130
65	50	7	6	5,970	4062768009875	120	80	8	6	12,200	4062768010147
65	50	7	12	5,970	4062768011311	120	80	8	12	12,200	4062768010154
65	50	8	6	6,750	4062768010949	120	80	10	6	15,000	4062768010536
65	50	8	12	6,750	4062768010864	120	80	10	12	15,000	4062768010161
65	50	9	12	7,520	4062768009882	120	80	12	6	17,800	4062768010642
70	50	6	6	5,400	4062768010505	120	80	12	12	12,200	4062768010154
70	50	6	12	5,400	4062768011205	130	65	8	6	11,900	4062768010185
75	50	5	6	4,740	4062768009899	130	65	8	12	11,900	4062768010192
75	50	6	6	5,650	4062768011014	130	65	10	6	14,600	4062768010215
75	50	6	12	5,650	4062768011090	130	65	10	12	14,600	4062768010208
75	50	7	6	6,510	4062768009905	130	65	12	6	17,300	4062768010925
75	50	8	6	7,490	4062768011052	130	65	12	12	17,300	4062768010222
75	50	8	12	7,490	4062768011120	130	90	10	12	16,600	4062768010239
75	50	9	6	8,230	4062768009912	130	90	12	6	19,700	4062768011434
75	50	9	12	8,230	4062768011168	130	90	12	12	19,700	4062768010246
75	55	5	6	4,950	4062768009929	150	75	9	6	15,300	4062768010666
75	55	7	6	6,800	4062768009936	150	75	9	12	15,300	4062768010253
75	55	7	12	6,800	4062768011380	150	75	11	6	18,600	4062768010277
75	55	9	6	8,590	4062768009943	150	75	11	12	18,600	4062768010260
80	40	6	6	5,410	4062768009950	150	90	10	12	18,200	4062768010284
80	40	6	12	5,410	4062768010543	150	90	12	12	21,600	4062768010291
80	40	8	6	7,070	4062768009967	150	100	10	6	19,000	4062768010673
80	40	8	12	7,070	4062768011038	150	100	10	12	19,000	4062768010307
80	60	7	6	7,360	4062768009974	150	100	12	6	22,600	4062768010680
80	60	7	12	7,360	4062768011045	150	100	12	12	22,600	4062768010314
80	65	6	6	6,600	4062768009981	150	100	14	12	26,100	4062768010338
80	65	8	6	8,660	4062768009998	160	80	10	6	18,200	4062768011069
80	65	8	12	8,660	4062768011007	160	80	10	12	18,200	4062768010345
80	65	10	6	10,700	4062768010000	160	80	12	6	21,600	4062768011076
80	65	10	12	10,700	4062768011298	160	80	12	12	21,600	4062768010352
90	60	6	6	6,820	4062768010017	160	80	14	12	25,000	4062768010369
80	65	8	6	8,660	4062768009998	180	90	10	6	20,600	4062768010703
80	65	8	12	8,660	4062768011007	180	90	10	12	20,600	4062768010376
80	65	10	6	10,700	4062768010000	180	90	12	6	24,500	4062768010987
80	65	10	12	10,700	4062768011298	180	90	12	12	24,500	4062768010383
90	60	6	6	6,820	4062768010017	200	100	10	6	23,000	4062768010710





## WINKELSTAHL S235JR UNGLEICHSCHENKLIG EN10056/EN10025











mm	mm	mm	Länge mtr	kg/mtr	GTIN
200	100	10	12	23,000	4062768010406
200	100	12	6	27,300	4062768010734
200	100	12	12	27,300	4062768010413
200	100	14	6	31,600	4062768011021
200	100	14	12	31,600	4062768010420
200	100	16	12	35,900	4062768010437
250	90	10	6	26,100	4062768010741

mm	mm	mm	Länge mtr	kg/mtr	GTIN
250	90	10	12	26,100	4062768010444
250	90	12	6	31,100	4062768011373
250	90	12	12	31,100	4062768010451
250	90	14	6	36,000	4062768010970
250	90	14	12	36,000	4062768010468
250	90	16	12	40,900	4062768010475









■ **SCHNITTSCHEMATA WINKEL**

Winkel gleich- oder ungleichschenkelig;  
Grundriss von oben betrachtet




■ **SCHNITTSCHEMATA WINKEL**

Winkel ungleichschenkelig;  
Grundriss von oben betrachtet




## FLACHSTAHL S235JR FEUERVERZINKT EN10058/EN10025



mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20	3	6	0,500	4062768015135	55	8	6	3,623	4062768016415
20	4	6	0,660	4062768015142	60	4	6	1,980	4062768015470
20	5	6	0,830	4062768015159	60	5	6	2,480	4062768015487
20	6	6	0,990	4062768015166	60	6	6	2,980	4062768015494
20	8	6	1,330	4062768015173	60	8	6	3,960	4062768015500
20	10	6	1,640	4062768015180	60	10	6	4,950	4062768015517
25	3	6	0,620	4062768015197	60	12	6	5,940	4062768015524
25	4	6	0,830	4062768015203	60	15	6	7,430	4062768015531
25	5	6	1,030	4062768015210	70	5	6	2,890	4062768015555
25	6	6	1,240	4062768015227	70	6	6	3,47	4062768015562
25	8	6	1,650	4062768015234	70	8	6	4,620	4062768015579
30	3	6	0,750	4062768015241	70	10	6	5,780	4062768015586
30	4	6	0,990	4062768015258	80	5	6	3,300	4062768015593
30	5	6	1,240	4062768015265	80	6	6	3,960	4062768015609
30	6	6	1,500	4062768015272	80	8	6	5,280	4062768015616
30	8	6	1,980	4062768015289	80	10	6	6,600	4062768015623
30	10	6	2,480	4062768015296	80	12	6	7,920	4062768015630
30	15	6	3,707	4062768016583	80	15	6	9,900	4062768015647
35	5	6	1,440	4062768015302	90	6	6	4,452	4062768017177
35	6	6	1,740	4062768015319	100	5	6	4,088	4062768015654
35	8	6	2,310	4062768015326	100	6	6	4,950	4062768015661
40	3	6	0,987	4062768016651	100	8	6	6,600	4062768015678
40	4	6	1,330	4062768015340	100	10	6	8,250	4062768015685
40	5	6	1,650	4062768015357	100	12	6	9,900	4062768015692
40	6	6	1,980	4062768015364	100	15	6	12,350	4062768015708
40	8	6	2,640	4062768015371	100	20	6	16,500	4062768016392
40	10	6	3,300	4062768015401	120	5	6	4,895	4062768016408
40	12	6	3,959	4062768016668	120	6	6	5,933	4062768017368
45	6	6	2,230	4062768015388	120	8	6	7,840	4062768015715
45	8	6	2,940	4062768015395	120	10	6	9,790	4062768015722
50	3	6	1,239	4062768016767	120	15	6	14,700	4062768015739
50	4	6	1,650	4062768015418	130	5	6	5,355	4062768017429
50	5	6	2,060	4062768015425	140	10	6	11,550	4062768016446
50	6	6	2,480	4062768015432	150	5	6	6,070	4062768017580
50	8	6	3,300	4062768015449	150	6	6	7,191	4062768017597
50	10	6	4,130	4062768015456	150	8	6	9,610	4062768015746
50	12	6	4,950	4062768015463	150	10	6	12,241	4062768015753


## RUNDSTAHL S235JR FEUERVERZINKT EN10060/EN10025



mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6	6	0,240	4062768015760	15	6	1,460	4062768015814
8	6	0,420	4062768015777	16	6	1,660	4062768015821
10	6	0,650	4062768015784	18	6	2,100	4062768015838
12	6	0,940	4062768015791	20	6	2,600	4062768015845
14	6	1,270	4062768015807	25	6	4,043	4062768016484

**RUNDSTAHL S355JR FEUERVERZINKT**  
EN10060/EN10025


mm	Länge mtr	kg/mtr	GTIN
20	6	2,600	4062768141476
25	6	4,040	4062768141452
30	6	5,830	4062768141483



**VIERKANTSTAHL S235JR FEUERVERZINKT**  
EN10059/EN10025

mm	Länge mtr	kg/mtr	GTIN
8	6	0,527	4062768018518
10	6	0,830	4062768015852
12	6	1,190	4062768015869
14	6	1,620	4062768015883
15	6	1,860	4062768015890


mm	Länge mtr	kg/mtr	GTIN
16	6	2,110	4062768015906
20	6	3,300	4062768015913
25	6	5,156	4062768018532
30	6	7,350	4062768019232



**T-STAHLE S235JR FEUERVERZINKT**  
EN10055/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
25	25	3.5	6	1,355	4062768018457
30	30	4	6	1,860	4062768015920
35	35	4.5	6	2,480	4062768015937
40	40	5	6	3,110	4062768015944
45	45	5.5	6	3,817	4062768015951


mm	mm	mm	Länge mtr	kg/mtr	GTIN
50	50	6	6	4,670	4062768015968
60	60	7	6	6,550	4062768015975
70	70	8	6	8,740	4062768015982
80	80	9	6	11,240	4062768015999



**U-STAHLE S235JR FEUERVERZINKT**  
EN10279/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	15	4	6	1.830	4062768016002
40	20	5	6	3.110	4062768016019
40	35	5	6	5.280	4062768016026
50	25	5	6	4.180	4062768016033


mm	mm	mm	Länge mtr	kg/mtr	GTIN
50	38	5	6	6.050	4062768016040
60	30	6	6	5.490	4062768016057
65	42	5.5	6	7.670	4062768016064




**FORMSTAHL UNP S235JR FEUERVERZINKT**  
DIN 1026/EN10025

mm	Länge mtr	kg/mtr	GTIN
80	6.1	9,350	4062768015098
100	6.1	11,450	4062768015104
120	6.1	14,390	4062768015111


mm	Länge mtr	kg/mtr	GTIN
140	6.1	17,220	4062768015128
160	6.1	19,879	4062768019409






**FORMSTAHL IPE S235JR FEUERVERZINKT**  
DIN 1025/EN10025

mm	Länge mtr	kg/mtr	GTIN
80	6.1	6,386	4062768019416
100	6.1	8,549	4062768019423
120	6.1	11,021	4062768019430




**WINKELSTAHL S235JR GLEICHSCHENKLIG FEUERVERZINKT**  
EN10056/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20	3	6	0,930	4062768016071	60	5	6	4,799	4062768016439
25	3	6	1,180	4062768016088	60	6	6	5,700	4062768016170
30	3	6	1,430	4062768016095	70	7	6	7,750	4062768016187
30	4	6	1,870	4062768016101	80	6	6	7,403	4062768017870
30	5	6	2,268	4062768016118	80	8	6	10,150	4062768016194
35	4	6	2,210	4062768016125	80	10	6	12,495	4062768017887
40	3	6	1,930	4062768016460	90	9	6	12,688	4062768016200
40	4	6	2,550	4062768016132	100	8	6	12,810	4062768016385
40	5	6	3,120	4062768016149	100	10	6	15,800	4062768016217
45	5	6	3,550	4062768016279	120	10	6	18,620	4062768017931
50	4	6	3,213	4062768018549	120	12	6	22,680	4062768016224
50	5	6	3,960	4062768016156	150	12	6	28,119	4062768019119
50	6	6	4,690	4062768016163	150	14	6	33,180	4062768019478



**WINKELSTAHL S235JR UNGLEICHSCHENKLIG FEUERVERZINKT**  
EN10056/EN10025

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
30	20	3	6	1,170	4062768016231	80	65	6	6	7,200	4062768016422
30	20	4	6	1,523	4062768017986	80	65	8	6	9,010	4062768016354
40	20	3	6	1,420	4062768016248	90	60	6	6	7,161	4062768018136
40	20	4	6	1,860	4062768016453	100	50	6	6	7,200	4062768016361
40	25	4	6	2,027	4062768016255	100	50	8	6	9,440	4062768018150
45	30	4	6	2,370	4062768016262	100	75	9	6	12,390	4062768018211
50	30	5	6	3,110	4062768016293	120	80	8	6	12,810	4062768018235
50	40	4	6	2,850	4062768016477	150	75	9	6	16,065	4062768018297
60	30	5	6	3,505	4062768016309	150	100	10	6	19,950	4062768018327
60	30	6	6	4,179	4062768018020	150	100	12	6	23,730	4062768018334
60	40	5	6	3,950	4062768016316	160	80	10	6	19,110	4062768018341
60	40	6	6	4,690	4062768016323	180	90	10	6	21,630	4062768018365
75	50	5	6	4,980	4062768016330	200	100	10	6	24,150	4062768018389
75	50	6	6	5,940	4062768019300	200	100	12	6	28,665	4062768018396
80	40	6	6	5,680	4062768016347	200	100	16	6	37,700	4062768019447
80	60	7	6	7,580	4062768018112						



**BREITFLACHSTAHL S235JR FEUERVERZINKT**  
DIN59200/EN10025

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
160	10	6	13,440	4062768018570	200	8	6	13,440	4062768018730
200	5	6	8,400	4062768019256	200	10	6	16,800	4062768018747
200	6	6	9,888	4062768019249	250	6	6	12,480	4062768019461

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.